

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
3500	5	4.500"	10.97"	4.633"	Vented	5070	5	100 mm	10.26"	1.95"	Vented
3502	5	4.500"	10.82"	4.761"	Vented	5072	5	115 mm	10.26"	2"	Solid
3504	5	4.500"	10.82"	4.761"	Vented	5074	5	115 mm	10.315"	1.876"	Vented
3508	5	4.500"	10.28"	4.761"	Vented	5100	5	4.750"	11.005"	4.002"	Vented
3510	5	4.500"	10.82"	4.761"	Vented	5214	5	4.750"	11.005"	4.639"	Vented
3512	5	4.500"	11.03"	3.035"	Solid	5500	5	4.750"	11.75"	3.08"	Vented
3514	5	4.500"	10.28"	4.761"	Vented	5501	5	4.750"	11.75"	3.09"	Vented
3550	5	5.500"	11.75"	2.8"	Vented	5800	5	5.000"	11.96"	5.024"	Vented
3552	5	5.500"	11.75"	2.205"	Vented	5802	5	5.000"	11.005"	2.285"	Vented
3931	5	4.500"	11.03"	3.985"	Solid	5804	5	5.000"	11.16"	2.2"	Vented
4284	5	5.500"		6.15"	Vented	5870	5	115 mm	10.02"	1.5"	Vented
4286	8	6.500"		6.458"	Vented	5925	10	7.250"	13.745"	4.365"	Solid
4288	8	6.500"		4.156"	Vented	5961	5	115 mm	10.5"	1.305"	Vented
4290	5	5.500"		4.062"	Vented	5962	6	5.500"	11.61"	2.47"	Vented
4292	5	5.500"		4.062"	Vented	5963	5	115 mm	10.1"	.98"	Vented
4294	8	6.500"		5.92"	Vented	5966	4	100 mm	9.285"	1.62"	Solid
4403	8	6.500"		5.92"	Vented	5973	6	5.500"	11.61"	4.51"	Vented
4440	5	5.500"		6.35"	Vented	5974	8	6.500"	12.5"	4.955"	Vented
4942	5	4.500"		3.6"	Solid	5976	5	5.000"	11.61"	4.185"	Vented
4943	5	5.500"		6.35"		5977	6	5.500"	11.61"	2.22"	Vented
4944	6	5.500"		6.49"		5980	8	6.500"	14.235"	3.21"	Vented
4945	6	5.500"		6.45"		5994	5	4.750"	11.86"	4.63"	Vented
5001	5	4.750"	11.5"	2.515"	Solid	6000	5	4.250"	10.16"	1.895"	Vented
5005	5	4.750"	11.5"	2.49"	Vented	6001	5	4.500"	11.315"	2.365"	Vented
5006	5	5.000"	11.86"	4.95"	Vented	6004	5	4.500"	11.29"	4.215"	Vented
5008	4	4.000"	9.875"	3.813"	Solid	6005	5	4.500"	10.865"	2.17"	Solid
5009	5	100 mm	9.685"	3.405"	Solid	6006	5	4.500"	11.29"	4.231"	Vented
5010	8	6.500"	12.5"	4.775"	Vented	6008	5	4.500"	11.72"	2.31"	Vented
5011	5	5.000"	11.86"	4.935"	Solid	6009	5	4.500"	10.94"	3.625"	Vented
5013	5	100 mm	9.7"	1.809"	Vented	6012	5	4.500"	11.72"	4.525"	Vented
5014	8	6.500"	12.5"	2.805"	Vented	6014	5	4.500"	11.72"	4.525"	Vented
5015	4	102 mm	8.465"	1.305"	Vented	6016	5	4.500"	11.29"	4.231"	Vented
5016	8	6.500"	12.5"	5.17"	Vented	6018	8	6.500"	12.56"	5.332"	Vented
5020	6	5.500"	11.86"	2.304"	Vented	6020	8	4.750"	12.56"	3.85"	Vented
5022	8	6.500"	12.5"	7.685"	Vented	6022	4	4.250"	9.3"	3.786"	Solid
5024	4	4.000"	9.74"	3.971"	Solid	6024	8	6.500"	12.56"	5.332"	Vented
5026	4	100 mm	9.685"	3.67"	Vented	6026	5	4.500"	10.72"	4.829"	Vented
5028	5	5.000"	11.86"	4.65"	Vented	6028	5	4.500"	11.72"	4.807"	Vented
5032	5	5.000"	11.86"	4.65"	Vented	6030	5	5.000"	11.72"	4.829"	Solid
5034	5	4.750"	10.5"	3.92"	Vented	6032	5	5.500"	11.72"	5.387"	Vented
5036	5	4.750"	10.5"	2.054"	Vented	6034	8	6.500"	12.645"	5.824"	Vented
5038	5	4.750"	10.5"	4.314"	Vented	6036	4	4.250"	9.3"	3.91"	Vented
5040	5	4.750"	11.005"	4.635"	Solid	6038	5	4.500"	10.72"	4.829"	Vented
5042	5	100 mm	9.7"	1.945"	Solid	6040	5	5.000"	11.8"	4.829"	Vented
5044	5	4.750"	11.16"	2.2"	Vented	6041	5	5.000"	11.5"	2.432"	Vented
5046	8	6.500"	12.875"	3.08"	Solid	6042	5	4.500"	11.03"	4.154"	Vented
5048	8	6.500"	12.875"	3.08"	Vented	6043	5	5.000"	11.5"	2.432"	Vented
5060	5	100 mm	9.7"	1.799"	Solid	6044	8	6.500"	12.56"	5.332"	Vented
5061	5	100 mm	9.7"	1.895"	Solid	6045	5	4.500"	10.675"	2.73"	Vented
5062	5	100 mm	9.7"	1.808"	Vented	6046	8	6.500"	12.56"	5.332"	Vented
5064	5	4.750"	10.5"	4.314"	Solid	6047	5	4.500"	10.675"	2.73"	Vented
5066	5	4.750"	10.5"	2.41"	Vented	6048	5	5.500"	11.72"	2.704"	Vented
5068	4	100 mm	9.685"	3.605"	Vented	6050	8	4.750"	12.56"	3.668"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
6052	8	6.500"	12.56"	5.14"	Vented	7063	5	100 mm	10.26"	1.505"	Vented
6054	8	6.500"	12.56"	5.14"	Vented	7142	5	4.500"	11.02"	3.095"	Vented
6056	8	5.500"	12.56"	3.308"	Vented	7175	4	104 mm	9.21"	1.325"	Solid
6060	4	4.250"	10.08"	4.01"	Solid	7864	8	6.500"	12.82"	3.26"	Vented
6064	4	4.250"	9.3"	3.992"	Vented	7896	4	104 mm	9.565"	1.33"	Vented
6066	5	4.500"	11.08"	5.205"	Solid	7926	6	4.250"	10.915"	1.775"	Vented
6070	8	6.500"	12.78"	5.495"	Vented	7927	6	104 mm	10.16"	1.32"	Vented
6072	5	4.500"	11.04"	4.28"	Solid	7928	5	4.500"	11.1"	1.51"	Vented
6074	8	6.500"	12.56"	5.62"	Vented	7929	5	4.500"	11.315"	2.495"	Vented
6078	8	6.500"	12.56"	5.62"	Vented	7930	5	100 mm	10.82"	1.355"	Vented
6082	4	4.250"	9.285"	2.228"	Vented	7956	6	4.250"	10.04"	1.775"	Vented
6084	8	6.500"	12.56"	3.225"	Vented	7958	5	4.500"	10.7"	4.445"	Vented
6129	4	100 mm	9.87"	1.35"	Vented	7979	8	6.500"	12.875"	2.78"	Vented
6130	4	100 mm	9.25"	1.77"	Solid	7987	5	4.500"	11.385"	4.365"	Vented
6131	4	100 mm	10.1"	1.77"	Vented	7992	5	100 mm	11.1"	1.505"	Vented
6163	8	6.500"	12.56"	5.62"	Vented	7993	5	100 mm	11.25"	2.03"	Vented
6226	5	4.250"	10.16"	1.775"	Vented	8004	5	5.000"	11.63"	4.55"	Vented
6248	5	4.500"	10.28"	2.56"	Vented	8005	8	6.500"	12.5"	8.2"	Vented
6326	5	4.500"	10.28"	4.135"	Vented	8204	4	4.500"	10.475"	1.79"	Vented
6370	5	112 mm	9.95"	1.31"	Solid	8510	10	7.250"	15.37"	3.4"	Solid
6600	5	4.250"	10.865"	2.005"	Solid	8512	5	6.750"	14.75"	3.8"	Vented
6616	5	4.500"	10.92"	3.74"	Vented	8514	6	7.250"	14.75"	3.8"	Vented
6865	5	4.500"	10.28"	4.135"	Vented	8516	6	11.250"	15.38"	4.753"	Vented
6886	5	4.250"	10.16"	1.925"	Solid	8517	6	8.750"	15.39"	6.03"	Vented
6892	4	4.250"	10.16"	2.32"	Vented	8518	5	11.250"	15"	4.5"	Vented
6932	5	5.500"	11.72"	2.975"	Vented	8520	6	8.750"	15"	6.8"	Vented
6972	5	4.500"	10.385"	1.825"	Vented	8521	5	6.750"	15"	3.505"	Vented
6978	8	6.500"	12.56"	3.204"	Vented	8522	5	12.000"	15"	5.235"	Vented
6984	4	4.250"	10.94"	3.735"	Vented	8523	6	6.750"	15"	3.505"	Vented
6995	5	4.750"	11.665"	1.97"	Vented	8524	5	12.750"	15"	5.9"	Vented
7003	4	100 mm	9.13"	1.504"	Solid	8527	5	12.750"	15"	5.9"	Vented
7005	4	100 mm	10.26"	1.505"	Solid	8528	5	11.250"	15"	4.49"	Vented
7006	4	100 mm	9.415"	1.506"	Vented	8529	10	11.250"	15"	6.8"	Vented
7007	4	100 mm	10.26"	1.506"	Vented	8530	10	7.250"	15"	4.435"	Vented
7008	5	4.500"	10.97"	4.842"	Vented	8531	5	11.250"	15"	4.785"	Vented
7009	5	5.500"	11.75"	4.985"	Vented	8532	10	7.250"	15"	3.21"	Vented
7011	5	100 mm	10.26"	1.506"	Vented	8533	10	7.250"	14.75"	3.81"	Vented
7012	5	4.500"	11.75"	4.973"	Vented	8534	6	6.750"	14.75"	3.8"	Vented
7013	5	100 mm	9.415"	1.506"	Vented	8535	5	10.500"	15"	4.26"	Vented
7018	5	4.500"	11.75"	4.984"	Vented	8537	10	7.250"	15"	3.21"	Vented
7022	8	6.500"	12.82"	2.966"	Vented	8538	5	6.750"	15"	3.5"	Vented
7023	8	6.500"	12.82"	2.966"	Vented	8539	10	7.250"	15"	4.44"	Vented
7024	8	6.500"	12.82"	5.708"	Vented	8960	8	6.500"	12.82"	5.745"	Vented
7032	5	4.500"	10.97"	4.856"	Vented	8964	5	4.250"	10.44"	1.33"	Solid
7034	5	4.500"	11.75"	4.984"	Vented	9000	4	130 mm	10.94"	3.214"	Vented
7036	5	4.500"	11.75"	2.635"	Vented	9003	4	87 mm	9.015"	.91"	Solid
7038	5	4.500"	11.75"	4.856"	Vented	9005	4	100 mm	8.465"	1.969"	Solid
7040	8	6.500"	12.82"	5.745"	Solid	9006	4	98 mm	8.94"	1.807"	Solid
7048	4	100 mm	9.415"	1.506"	Solid	9007	4	96 mm	8.89"	1.174"	Solid
7050	5	5.500"	11.64"	2.595"	Solid	9009	4	94 mm	8.94"	1.21"	Solid
7053	5	4.500"	10.475"	1.79"	Vented	9010	4	87 mm	9.03"	.694"	Solid
7054	8	6.500"	12.875"	2.78"	Vented	9011	4	98 mm	9.6"	2.092"	Solid
7062	4	100 mm	10.26"	1.505"	Vented	9013	4	110 mm	9.015"	3.76"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
9016	4	81 mm	8.26"	2.35"	Solid	9258	4	116 mm	9.1"	1.615"	Vented
9017	4	110 mm	9.1"	3.765"	Solid	9260	4	102 mm	10.08"	1.41"	Solid
9020	4	95.64 mm	10.75"	1.755"	Vented	9262	4	110 mm	8.155"	3.76"	Vented
9022	4	92 mm	9.37"	2.184"	Solid	9263	4	100 mm	9.76"	1.11"	Vented
9023	4	100 mm	9.4"	2.835"	Vented	9272	4	116 mm	9.12"	1.438"	Vented
9032	4	92.5 mm	9.62"	1.052"	Vented	9274	4	96 mm	8.03"	1.175"	Solid
9043	5	5.315"			Solid	9276	4	103 mm	9.92"	1.145"	Solid
9049	4	100 mm	8.94"	1.65"	Vented	9278	4	84 mm	8.9"	1.22"	Solid
9054	4	4.500"	10.8"	1.99"	Solid	9281	4	100 mm	9.1"	1.945"	Solid
9060	6	99 mm	8.976"	1.516"	Solid	9290	4	103 mm	9.835"	1.4"	Solid
9064	4	103 mm	10.67"	2.02"	Solid	9296	4	87 mm	9.215"	1.5"	Vented
9070	4	100 mm	8.89"	1.675"	Vented	9298	4	94 mm	10.035"	1.715"	Vented
9074	4	90 mm	9.13"	1.575"	Solid	9299	4	100 mm	9.565"	1.855"	Vented
9082	4	130 mm	11.055"	3.64"	Solid	9300	4	4.500"	11.415"	1.85"	Vented
9094	4	86 mm	9.005"	1.18"	Solid	9762	4	94 mm	9.835"	1.355"	Vented
9165	4	4.500"	10"	2.845"	Solid	9802	4	100 mm	10.04"	2.955"	Solid
9166	5	4.500"	10.86"	2.56"	Solid	9803	4	4.500"	11.02"	1.87"	Solid
9172	4	104 mm	9.3"	1.335"	Vented	9804	5	4.250"	10.35"	2.565"	Solid
9173	4	100 mm	9.37"	1.82"	Vented	9809	4	4.500"	10.15"	1.855"	Vented
9176	4	104 mm	10.08"	1.335"	Solid	9810	4	100 mm	9.37"	1.615"	Solid
9177	5	4.500"	11.08"	1.85"	Vented	9811	4	4.250"	10.11"	3.3"	Solid
9203	4	95 mm	9.83"	.865"	Vented	9812	5	120 mm	11.09"	3.005"	Vented
9204	6	103 mm	10.675"	1.71"	Vented	9813	5	120 mm	11.17"	2.988"	Vented
9205	6	133 mm	10.675"	2.205"	Solid	9820	6	5.500"	11.88"	1.89"	Vented
9206	4	4.500"	10.15"	1.865"	Solid	9821	5	126 mm	11.12"	1.39"	Vented
9207	4	100 mm	9.755"	1.1"	Vented	9826	4	4.500"	10.6"	2.59"	Solid
9208	5	112 mm	10.94"	2.61"	Vented	9827	4	110 mm	8.94"	3.98"	Vented
9212	4	95 mm	9.13"	1.4"	Solid	9828	4	110 mm	9.29"	2.835"	Vented
9213	6	5.500"	11.885"	1.89"	Vented	9829	4	100 mm	10.24"	1.385"	Solid
9214	4	116 mm	8.89"	1.739"	Solid	9830	4	100 mm	9.37"	1.62"	Vented
9215	6	104 mm	10.03"	1.31"	Solid	9832	4	90 mm	9.05"	2.045"	Vented
9217	4	103 mm	9.13"	1.24"	Solid	9833	4	4.250"	10.06"	1.82"	Vented
9221	4	100 mm	10.16"	1.026"	Solid	9834	4	96 mm	9.445"	1.375"	Vented
9223	4	95 mm	9.995"	1.88"	Vented	9836	4	4.500"	11.02"	2.58"	Solid
9224	4	100 mm	10"	1.01"	Solid	9837	4	100 mm	9.567"	1.54"	Solid
9225	4	4.500"	10.565"	2.705"	Solid	9838	6	5.500"	11.88"	1.885"	Solid
9227	4	100 mm	9.1"	1.945"	Solid	9839	5	120 mm	10.7"	2.41"	Vented
9228	4	100 mm	9.415"	1.383"	Solid	9840	4	100 mm	10.03"	2.95"	Solid
9229	4	100 mm	9.09"	1.929"	Vented	9841	5	120 mm	11.02"	3.07"	Solid
9234	4	103 mm	10.675"	1.704"	Vented	9842	4	103 mm	10.785"	1.4"	Vented
9236	6	102 mm	9.835"	1.315"	Vented	9843	5	4.500"	11.415"	1.85"	Solid
9238	6	102 mm	10.2"	1.475"	Vented	9844	5	112 mm	11.02"	1.825"	Vented
9239	4	90 mm	9.03"	2.04"	Solid	9845	5	120 mm	11.171"	2.677"	Vented
9240	4	4.250"	8.7"	1.658"	Vented	9846	5	120 mm	11.02"	3.07"	Solid
9242	4	100 mm	10.039"	1.083"	Vented	9847	5	120 mm	11.01"	3.06"	Vented
9244	4	84 mm	8.58"	1.18"	Solid	9848	5	112 mm	9.645"	2.34"	Solid
9246	5	104 mm	10.475"	1.65"	Vented	9887	5	100 mm	10.14"	1.88"	Vented
9247	4	4.250"	9.645"	2.34"	Solid	9888	4	100 mm	9.565"	1.865"	Vented
9248	4	100 mm	10.475"	1.65"	Solid	9890	4	100 mm	9.1"	1.735"	Solid
9250	4	95 mm	9.64"	1.4"	Solid	9891	4	100 mm	9.075"	1.74"	Solid
9252	4	95 mm	10.62"	1.88"	Solid	9893	4	100 mm	10.23"	1.39"	Vented
9254	4	97 mm	9.995"	.63"	Solid	9894	4	4.250"	10.16"	1.705"	Vented
9256	4	96 mm	9.4"	1.53"	Solid	9895	4	4.250"	11.02"	1.72"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
9897	5	100 mm	10.6"	2.53"	Solid	56189	8	6.500"	12.56"	8.185"	Vented
9898	4	100 mm	10.15"	2.36"	Solid	56241	5	115 mm	11.06"	1.515"	Solid
9900	4	100 mm	9.41"	1.525"	Solid	56242	8	6.500"	12.5"	2.755"	Solid
9904	5	118 mm	10.315"	1.765"	Vented	56258	5	5.000"	11.61"	4.51"	Vented
9907	4	4.500"	11.01"	2.77"	Vented	56263	8	6.500"	12.5"	4.955"	Solid
9908	4	100 mm	9.44"	1.78"	Vented	56287	8	6.500"	12.5"	6.72"	Vented
9909	6	124 mm	10.895"	1.545"	Vented	56299	6	5.500"	11.86"	7.06"	Vented
9911	4	4.500"	10.6"	2.39"	Vented	56300	6	5.500"	11.86"	7.03"	Vented
9914	4	4.500"	9.835"	1.945"	Vented	56324	8	6.500"	12.5"	2.755"	Vented
9915	4	100 mm	9.44"	1.78"	Vented	56325	5	118 mm	10.94"	2.05"	Vented
9916	4	100 mm	8.465"	1.76"	Solid	56328	5	5.000"	11.86"	4.95"	Vented
9917	6	124 mm	10.5"	1.54"	Solid	56331	8	6.500"	12.5"	4.775"	Vented
9920	6	103 mm	9.835"	1.46"	Vented	56396	8	6.500"	12.5"	5.17"	Vented
9922	4	88 mm	9.42"	1.85"	Vented	56397	8	6.500"	12.5"	7.685"	Vented
9933	4	100 mm	10.08"	1.525"	Vented	56407	5	118 mm	11.53"	1.81"	Solid
9934	4	100 mm	8.9"	2.82"	Solid	56417	6	6.750"	14.75"	3.81"	Vented
9936	4	4.250"	10.07"	1.825"	Solid	56418	5	6.750"	14.75"	3.81"	Vented
9937	5	112 mm	10.94"	2.69"	Solid	56420	5	5.000"	11.86"	4.935"	Vented
9938	4	92 mm	10.075"	2.35"	Vented	56450	5	5.000"	11.61"	2.335"	Vented
9939	4	80 mm	9.45"	2.3"	Solid	56454	5	115 mm	10.945"	.95"	Vented
9940	5	104 mm	10.94"	2.51"	Solid	56493	10	7.250"	13.58"	4.365"	Vented
9941	5	112 mm	10.98"	2.815"	Solid	56494	5	4.750"	13"	2.205"	Vented
9948	4	100 mm	10.08"	1.38"	Vented	56495	5	4.750"	13"	2.205"	Vented
9950	5	112 mm	10.94"	4.67"	Vented	56496	5	161 mm	13.85"	2.935"	Vented
9951	5	100 mm	9.565"	1.79"	Solid	56502	10	11.250"	15.37"	6.18"	Vented
9954	4	4.500"	11.215"	2.92"	Vented	56543	5	100 mm	10.43"	1.87"	Vented
9955	4	100 mm	9.528"	1.95"	Solid	56549	5	115 mm	11.235"	1.46"	Vented
9965	5	5.500"	11.415"	1.81"	Vented	56579	6	5.500"	11.61"	4.51"	Vented
9968	4	104 mm	9.515"	1.59"	Solid	56591	6	110 mm	10.47"	1.36"	Solid
9969	4	100 mm	9.075"	1.685"	Vented	56593	8	6.500"	12.56"	8.185"	Solid
9970	4	94 mm	8.625"	1.455"	Vented	56629	5	118 mm	10.94"	1.98"	Solid
9971	4	104 mm	9.515"	1.335"	Solid	56631	5	118 mm	10.94"	2.05"	Vented
9981	5	112 mm	10.15"	3.75"	Vented	56641	5	118 mm	11.92"	2.04"	Vented
9982	5	4.250"	10.35"	2.655"	Solid	56651	5	110 mm	11.26"	2.64"	Solid
9983	5	4.250"	11.04"	2.89"	Vented	56652	5	110 mm	11.64"	2.245"	Solid
9985	4	90 mm	9.515"	1.725"	Vented	56655	5	118 mm	10.94"	1.925"	Vented
9986	5	4.250"	10.33"	2.83"	Vented	56694	5	4.750"	10.82"	2.155"	Vented
9991	6	103 mm	9.835"	1.185"	Vented	56698	5	118 mm	11.72"	1.52"	Solid
9999	4	4.500"	10.43"	1.94"	Vented	56700	5	4.750"	12.8"	1.79"	Vented
55996	5	4.750"	12"	1.965"	Vented	56701	5	4.750"	12.8"	1.79"	Vented
55997	5	4.750"	12"	2.205"	Vented	56702	5	4.750"	12"	1.905"	Vented
56019	4	100 mm	10.08"	1.61"	Vented	56703	5	4.750"	12"	1.905"	Vented
56022	8	6.500"	12.5"	7.685"	Vented	56707	5	4.750"	11.61"	3.745"	Solid
56128	5	5.000"	11.86"	4.65"	Solid	56725	5	4.750"	11.61"	2.87"	Vented
56132	5	5.000"	11.61"	3.19"	Vented	56750	8	6.500"	12.5"	7.685"	Vented
56137	5	4.750"	10.5"	4.314"	Solid	56756	5	118 mm	12.01"	2.4"	Vented
56140	5	100 mm	10.2"	1.885"	Vented	56757	5	4.750"	10.5"	4.314"	Vented
56148	4	4.500"	9.1"	1.96"	Vented	56825	6	5.500"	12"	2.285"	Vented
56151	5	5.000"	11.86"	4.65"	Vented	56827	6	5.500"	12.795"	3.35"	Vented
56152	5	5.000"	11.86"	4.65"	Vented	56828	8	6.500"	13"	3.65"	Vented
56168	4	100 mm	9.64"	1.63"	Solid	56829	8	6.500"	12.795"	3.51"	Vented
56169	4	100 mm	9.845"	1.705"	Solid	56830	8	6.500"	13"	3.42"	Vented
56170	4	100 mm	9.285"	1.61"	Vented	56846	5	5.500"	11.29"	1.145"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
56851	5	118 mm	11.06"	1.52"	Solid	66467	4	100 mm	9.25"	1.77"	Vented
56884	5	6.000"	14.25"	2.98"	Vented	66468	4	100 mm	9.24"	1.765"	Vented
56915	6	5.500"	11.62"	4.51"	Vented	66474	5	4.500"	11.66"	2.01"	Vented
56919	6	5.500"	13"	3.76"	Vented	66475	5	4.250"	10.865"	1.775"	Vented
56925	10	7.250"	15.385"	3.4"	Vented	66476	8	6.500"	12.95"	3.1"	Vented
56927	5	5.500"	11.29"	1.145"	Vented	66487	5	4.500"	10.28"	4.135"	Vented
56928	10	7.250"	15.385"	3.4"	Vented	66488	5	4.500"	10.28"	4.135"	Vented
56930	10	7.250"	15.37"	3.4"	Vented	66489	4	4.250"	10.23"	1.85"	Vented
56946	6	110 mm	11.99"	1.415"	Vented	66492	5	4.500"	11.45"	2.6"	Solid
56957	8	6.500"	12.8"	3.345"	Solid	66501	10	7.250"	14.75"	3.815"	Vented
56992	8	6.500"	12.8"	5.2"	Vented	66527	8	6.500"	13.03"	5.645"	Vented
56993	5	110 mm	11.255"	2.73"	Vented	66528	8	6.500"	13.03"	5.645"	Vented
56994	5	6.750"	14.75"	3.8"	Vented	66529	8	6.500"	13.03"	7.9"	Vented
56995	10	7.250"	15.37"	3.4"	Vented	66530	8	6.500"	13.03"	7.9"	Vented
56996	10	7.250"	14.75"	3.8"	Vented	66548	5	4.250"	11.18"	2.425"	Solid
56998	5	115 mm	10.83"	2.04"	Vented	66557	5	4.500"	10.28"	4.25"	Vented
56999	8	6.500"	12.795"	3.51"	Vented	66558	5	4.500"	11.25"	2.27"	Vented
60814	8	275 mm	15.38"	6.25"	Vented	66559	5	4.500"	10.28"	4.25"	Vented
66017	4	4.250"	10.92"	3.74"	Vented	66565	5	4.500"	11.22"	2.295"	Vented
66018	5	4.500"	10.92"	3.74"	Vented	66576	5	4.500"	11.26"	2.59"	Vented
66032	5	4.500"	10.28"	4.135"	Solid	66584	4	4.250"	9.96"	1.72"	Vented
66074	4	4.500"	8.75"	2.618"	Solid	66595	5	4.500"	11.215"	2.295"	Solid
66193	5	4.500"	11.08"	5.285"	Solid	66597	5	4.500"	11.28"	4.25"	Solid
66202	6	12.750"	15.62"	4.92"	Vented	66603	8	6.500"	13.03"	8.15"	Vented
66203	10	11.250"	15.62"	6.36"	Vented	66609	5	4.500"	13"	1.715"	Vented
66204	5	4.250"	10.16"	1.81"	Vented	66610	5	4.500"	13"	1.715"	Vented
66205	10	145 mm	12.9"	4.875"	Vented	66630	5	135 mm	12.12"	2.045"	Solid
66210	5	4.250"	10.1"	2"	Vented	66647	5	135 mm	12.12"	1.855"	Vented
66237	5	4.500"	10.53"	2.345"	Vented	66648	7	150 mm	12.12"	1.855"	Vented
66238	5	4.500"	11.415"	2.31"	Vented	66653	5	135 mm	12.13"	4.05"	Vented
66259	8	6.500"	12.56"	5.625"	Vented	66654	7	150 mm	12.13"	4.05"	Vented
66276	5	4.500"	11.08"	3.25"	Vented	66670	5	135 mm	13.15"	2.21"	Solid
66295	8	6.500"	12.56"	6.95"	Vented	66671	7	150 mm	13.135"	3.1"	Solid
66296	8	6.500"	12.56"	6.95"	Vented	66672	5	4.500"	10.28"	4.25"	Solid
66297	5	5.500"	11.715"	7.11"	Vented	66673	5	4.500"	10.28"	4.25"	Vented
66327	5	4.500"	10.9"	2.055"	Vented	66675	5	5.500"		6.16"	Vented
66334	5	4.250"	11.56"	1.83"	Vented	66676	5	5.500"	11.72"	6.94"	Vented
66335	5	4.250"	10.16"	1.79"	Vented	66677	5	5.500"	11.72"	6.94"	Vented
66402	5	4.500"	10.865"	2.485"	Vented	66688	7	150 mm	12.13"	4.05"	Vented
66404	4	4.250"	10.92"	3.74"	Vented	66695	8	145 mm	12.9"	4.875"	Vented
66406	5	4.250"	10.1"	1.54"	Vented	66741	5	112 mm	10.23"	2.09"	Vented
66416	5	4.500"	10.865"	2.485"	Vented	66744	5	4.500"	12.44"	2.59"	Solid
66438	5	5.500"	11.72"	2.54"	Vented	66745	4	4.250"	10.945"	1.85"	Vented
66439	5	5.500"	11.72"	6.94"	Vented	66746	8	170 mm	13.03"	3.72"	Vented
66441	5	5.500"	11.72"	6.94"	Vented	66747	5	4.500"	10.29"	2.565"	Vented
66442	5	4.250"	10.865"	1.83"	Vented	66748	5	4.500"	10.29"	2.564"	Vented
66443	5	4.500"	10.865"	1.83"	Vented	66749	5	4.250"	11.58"	1.83"	Vented
66444	5	5.500"	11.72"	7.1"	Vented	66761	10	163 mm	15.55"	4.87"	Solid
66445	5	5.500"	11.72"	5.25"	Vented	66768	8	170 mm	13.03"	9.126"	Vented
66448	5	4.500"	10.51"	1.975"	Vented	66785	8	170 mm	13.03"	5.65"	Vented
66455	5	5.500"	11.72"	5.25"	Solid	66786	8	170 mm	13.03"	5.65"	Vented
66456	8	6.500"	12.56"	5.625"	Vented	66789	8	6.500"	12.95"	3.11"	Solid
66457	8	6.500"	12.56"	5.625"	Vented	66798	8	170 mm	14.53"	3.66"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
66799	8	6.500"	12.83"	3.87"	Vented	76569	5	4.500"	11.18"	2.37"	Solid
66821	5	135 mm	12.13"	3.82"	Vented	76599	8	6.500"	12.5"	7.855"	Vented
66822	5	135 mm	12.13"	4.097"	Vented	76607	6	4.500"	13"	2.45"	Vented
66823	8	170 mm	12.83"	3.87"	Vented	76608	6	4.500"	13"	1.715"	Vented
66824	8	142 mm	12.835"	4.44"	Vented	76627	5	4.500"	10.32"	2.37"	Vented
66833	5	4.250"	11.08"	1.83"	Vented	76645	6	4.500"	11.3"	2.52"	Vented
66834	8	145 mm	12.835"	4.36"	Vented	76646	5	4.500"	11.1"	1.5"	Vented
66839	10	11.250"	15.38"	6.07"	Vented	76650	5	4.500"	11.415"	2.21"	Solid
66840	5	4.250"	11.335"	1.275"	Vented	76665	4	4.500"	9.72"	1.89"	Vented
66841	5	4.250"	11.815"	1.685"	Vented	76683	5	100 mm	11.11"	1.265"	Vented
66844	5	4.500"	12.995"	1.715"	Vented	76721	5	4.500"	11.1"	2.12"	Vented
66880	10	335 mm	15.38"	6.61"	Vented	76722	5	4.500"	11.7"	2.12"	Vented
66885	5	4.500"	11.25"	2.27"	Vented	76735	5	4.500"	10.555"	1.815"	Vented
66907	8	6.500"	12.56"	6.976"	Vented	76777	5	4.500"	11.7"	2.12"	Solid
66913	4	4.250"	10.15"	1.705"	Vented	76787	5	5.500"	11.75"	4.985"	Vented
66914	8	170 mm	13.03"	3.91"	Vented	76793	5	5.000"	12"	2.5"	Solid
66924	8	170 mm	14.53"	3.855"	Vented	76794	5	5.000"	12"	2.96"	Vented
66943	5	135 mm	12.12"	1.85"	Vented	76808	8	6.500"	12.82"	4.58"	Vented
66947	5	135 mm	13.15"	2.25"	Vented	76831	5	4.500"	11.1"	2.047"	Vented
66984	5	135 mm	12.13"	4.05"	Vented	76912	5	100 mm	10.115"	1.5"	Vented
66997	5	135 mm	12.13"	4.097"	Vented	76917	5	5.500"	12.11"	2.885"	Vented
76002	5	100 mm	10.635"	2.03"	Solid	76918	5	5.500"	11.97"	2.74"	Vented
76003	5	100 mm	10.09"	1.375"	Solid	76920	8	6.500"	12.85"	4.01"	Vented
76025	8	6.500"	12.82"	2.99"	Solid	76921	5	4.500"	10.87"	1.79"	Vented
76078	6	4.250"	10.16"	1.79"	Vented	76923	5	4.500"	11.03"	3.06"	Vented
76124	5	100 mm	10.63"	2.14"	Vented	76955	5	100 mm	11.025"	1.54"	Vented
76138	5	4.250"	10.44"	1.45"	Vented	96001	5	4.500"	10.2"	2.88"	Vented
76161	5	4.500"	11.1"	1.505"	Vented	96007	6	109 mm	10.125"	1.42"	Vented
76194	6	4.500"	11.29"	2.52"	Vented	96008	5	5.500"	11.415"	1.82"	Vented
76247	6	4.500"	11.315"	4.38"	Solid	96009	4	88 mm	9.84"	1.26"	Solid
76283	8	6.500"	12.812"	3.265"	Vented	96010	5	4.500"	11.1"	2.26"	Vented
76285	5	5.500"	11.635"	7.26"	Vented	96011	6	103 mm	10.24"	1.46"	Vented
76289	8	6.500"	12.812"	4.2"	Vented	96012	6	5.500"	11.885"	1.89"	Vented
76291	5	5.000"	11.75"	4.53"	Vented	96013	6	4.250"	10.08"	.785"	Solid
76293	5	5.000"	11.75"	4.53"	Vented	96014	4	94 mm	9.835"	1.36"	Vented
76298	5	4.500"	11.75"	3.31"	Vented	96015	4	94 mm	9.36"	1.215"	Vented
76316	5	4.500"	10.635"	1.895"	Vented	96020	4	100 mm	9.37"	1.88"	Vented
76323	5	4.500"	11.1"	2.055"	Vented	96021	4	100 mm	10.295"	2.01"	Vented
76398	5	5.500"	11.75"	4.985"	Vented	96023	4	104 mm	9.005"	1.555"	Vented
76399	8	6.500"	12.82"	5.745"	Vented	96026	4	110 mm	8.94"	3.555"	Vented
76409	6	4.500"	11.315"	4.38"	Solid	96027	5	110 mm	10.1"	1.83"	Vented
76446	5	5.500"	11.61"	4.51"	Vented	96028	4	4.250"	10.24"	2.29"	Vented
76447	5	5.500"	11.61"	2.575"	Vented	96029	4	4.500"	10.215"	1.69"	Solid
76449	4	100 mm	9.43"	1.495"	Solid	96030	4	4.500"	11.09"	2.01"	Solid
76451	5	4.500"	11.22"	2.33"	Vented	96031	4	4.250"	9.636"	1.567"	Vented
76452	8	6.500"	12.5"	5.19"	Solid	96034	6	102 mm	9.89"	1.31"	Vented
76465	8	6.500"	12.5"	7.855"	Vented	96035	4	100 mm	9.43"	1.58"	Vented
76466	5	100 mm	10.12"	1.5"	Vented	96036	4	100 mm	10.16"	1.865"	Solid
76504	5	100 mm	11.12"	1.265"	Solid	96037	4	100 mm	9.56"	1.848"	Vented
76505	5	100 mm	10.235"	1.265"	Vented	96038	4	100 mm	9.515"	1.445"	Vented
76547	5	100 mm	10.63"	2.095"	Solid	96039	5	110 mm	9.765"	1.815"	Solid
76551	5	100 mm	10.63"	2.09"	Vented	96040	5	4.500"	11.465"	2.685"	Vented
76561	5	100 mm	10.09"	1.5"	Vented	96041	5	4.500"	11.885"	2.11"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96042	4	100 mm	10.7"	1.577"	Vented	96118	6	110 mm	10.12"	1.835"	Vented
96043	5	100 mm	10.04"	1.885"	Vented	96119	4	94 mm	8.36"	1.44"	Vented
96047	5	104 mm	9.92"	1.024"	Vented	96120	4	94 mm	9.45"	1.44"	Vented
96048	4	4.500"	10.26"	2.395"	Vented	96121	5	100 mm	10.47"	2.66"	Vented
96049	6	5.000"	11.385"	2.53"	Vented	96122	4	100 mm	11.02"	1.54"	Solid
96050	5	4.250"	11.295"	2.21"	Vented	96133	4	4.500"	10.16"	1.775"	Vented
96052	5	4.500"	10.5"	1.84"	Vented	96144	4	100 mm	9.765"	1.785"	Solid
96054	4	112 mm	10.47"	2.37"	Vented	96145	5	118 mm	10.91"	1.16"	Vented
96055	4	104 mm	10.47"	1.34"	Vented	96147	4	100 mm	9.44"	1.75"	Vented
96058	5	100 mm	10.07"	2.07"	Vented	96150	5	120 mm	11.89"	2.99"	Vented
96059	5	100 mm	10.07"	2.35"	Solid	96153	5	4.500"	10.865"	1.785"	Vented
96060	5	100 mm	10.3"	1.93"	Solid	96154	4	100 mm	9.2"	1.56"	Solid
96061	5	100 mm	10.24"	2.23"	Vented	96155	4	100 mm	10.16"	1.755"	Solid
96063	4	4.500"	10.1"	1.935"	Vented	96156	4	100 mm	9.835"	1.78"	Solid
96065	5	4.500"	11.015"	1.935"	Vented	96158	4	4.500"	11.09"	1.36"	Vented
96066	4	4.500"	10.16"	1.765"	Solid	96159	5	4.500"	11.66"	1.78"	Vented
96068	4	100 mm	9.4"	1.895"	Solid	96160	5	4.500"	10.47"	2.58"	Vented
96069	5	4.500"	10.15"	1.775"	Solid	96162	5	4.500"	10.08"	1.79"	Vented
96071	4	4.500"	9.9"	1.945"	Solid	96167	4	4.500"	10.27"	2.1"	Vented
96072	4	100 mm	10.475"	2.34"	Vented	96174	5	4.500"	10.02"	2.075"	Vented
96073	6	5.500"	10.455"	1.87"	Vented	96178	5	4.500"	11.1"	2.4"	Vented
96075	4	4.500"	10.2"	2.09"	Solid	96179	4	100 mm	10.09"	1.86"	Solid
96076	4	94 mm	9.72"	1.18"	Solid	96180	5	4.500"	10.15"	1.865"	Solid
96077	5	4.500"	11.02"	2.11"	Solid	96181	5	4.500"	10.34"	1.825"	Vented
96079	5	104 mm	10.16"	1.315"	Vented	96182	6	110 mm	10.31"	2.365"	Vented
96080	5	4.500"	10.43"	1.94"	Vented	96183	5	110 mm	10"	1.81"	Vented
96084	4	100 mm	9.21"	1.85"	Solid	96184	5	4.500"	10.99"	2.07"	Vented
96085	4	100 mm	9.23"	1.855"	Solid	96186	4	4.500"	9.85"	1.84"	Vented
96087	4	100 mm	10.315"	1.765"	Vented	96187	4	100 mm	10.04"	1.64"	Vented
96088	4	100 mm	9.515"	1.735"	Vented	96188	5	100 mm	10.04"	1.815"	Vented
96090	4	4.500"	8.75"	2.615"	Vented	96190	5	100 mm	11.34"	2.34"	Vented
96091	6	116 mm	10.7"	.97"	Solid	96191	5	100 mm	10.9"	1.89"	Solid
96092	4	4.500"	10.16"	2.875"	Solid	96192	4	100 mm	10.35"	1.58"	Vented
96093	6	5.500"	11.25"	2.75"	Solid	96195	5	100 mm	10.89"	1.82"	Vented
96094	5	103 mm	10.785"	1.4"	Vented	96196	6	5.500"	11.25"	2.29"	Vented
96095	5	4.500"	10.24"	2.25"	Vented	96206	4	4.500"	10.23"	2.51"	Vented
96096	5	4.500"	11.01"	2.255"	Vented	96208	5	4.500"	10.15"	1.755"	Solid
96097	5	4.500"	11.02"	2.11"	Vented	96209	4	100 mm	9.37"	1.685"	Solid
96098	5	4.500"	11.68"	2.52"	Vented	96211	4	100 mm	10"	1.69"	Vented
96099	4	4.500"	10.1"	1.8"	Vented	96213	4	100 mm	9.24"	1.765"	Vented
96100	5	4.250"	10.35"	2.525"	Vented	96214	4	100 mm	9.085"	1.355"	Vented
96102	5	4.500"	10.04"	2.84"	Solid	96216	5	4.500"	10.6"	2.55"	Solid
96105	4	94 mm	10.2"	1.215"	Vented	96217	5	4.500"	10.82"	1.943"	Solid
96106	5	4.500"	10.74"	2.09"	Vented	96218	5	4.500"	10.67"	2.07"	Vented
96107	5	4.500"	10.46"	2.23"	Vented	96219	5	4.500"	10.03"	1.94"	Vented
96109	5	4.500"	10.065"	2.435"	Solid	96220	4	4.500"	10.86"	1.772"	Vented
96110	4	4.500"	10.07"	1.79"	Vented	96221	4	4.500"	10.08"	1.785"	Vented
96111	4	4.500"	10.215"	1.34"	Vented	96222	5	4.500"	10.47"	2.17"	Vented
96113	5	4.500"	10.98"	2.68"	Vented	96223	5	112 mm	11.8"	1.79"	Vented
96114	5	100 mm	10.04"	1.825"	Vented	96224	5	112 mm	11.82"	2.69"	Vented
96115	5	100 mm	10.588"	2.348"	Vented	96229	12	136 mm	11.1"	2.465"	Vented
96116	5	100 mm	10.04"	1.885"	Solid	96230	5	112 mm	10.94"	2.3"	Vented
96117	5	4.500"	10.7"	2.77"	Vented	96231	5	112 mm	11.18"	1.8"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96233	4	100 mm	10.15"	2.94"	Vented	96350	5	4.500"	11.88"	2.24"	Solid
96234	5	120 mm	11.8"	2.675"	Solid	96354	4	100 mm	10.04"	1.895"	Vented
96235	5	120 mm	11.02"	1.58"	Solid	96355	6	119 mm	11.02"	1.785"	Vented
96243	5	100 mm	10.44"	2.655"	Vented	96356	5	4.500"	10.82"	1.88"	Vented
96244	5	4.250"	11.02"	2.22"	Vented	96357	6	119 mm	11.17"	2.02"	Vented
96245	5	4.250"	11.005"	2.215"	Solid	96358	5	4.500"	10.825"	2.01"	Vented
96249	5	4.500"	11.5"	2.52"	Vented	96359	5	4.500"	11.45"	2.65"	Vented
96251	4	4.500"	10.78"	1.875"	Solid	96360	5	4.500"	12.08"	2.645"	Vented
96252	4	4.500"	10.47"	2.735"	Vented	96361	5	4.500"	11.06"	1.82"	Vented
96253	5	4.500"	11.005"	2.11"	Solid	96362	6	5.500"	13.19"	4.039"	Vented
96256	4	4.500"	9.45"	1.37"	Solid	96363	4	4.500"	11.015"	1.935"	Vented
96257	5	5.500"	11.3"	1.815"	Solid	96364	5	4.500"	11.1"	1.855"	Vented
96260	5	120 mm	11.1"	2.565"	Vented	96365	4	4.500"	11.22"	2.01"	Vented
96262	4	100 mm	8.42"	1.705"	Solid	96366	5	112 mm	11.02"	2.55"	Vented
96264	4	4.500"	10.295"	2.005"	Vented	96368	5	112 mm	10.75"	2.49"	Vented
96265	4	4.500"	10.23"	1.86"	Vented	96369	4	4.500"	10.225"	1.91"	Solid
96268	4	4.250"	11"	1.725"	Vented	96371	4	100 mm	9.39"	1.325"	Solid
96269	4	4.250"	11.02"	1.715"	Vented	96372	4	4.250"	10.07"	1.645"	Solid
96274	5	130 mm	11.37"	2.8"	Vented	96373	5	130 mm	11.77"	3.94"	Vented
96277	5	4.500"	10.78"	1.87"	Vented	96374	4	4.500"	11.09"	1.86"	Vented
96278	5	4.500"	10.07"	2.595"	Vented	96375	4	4.500"	10.33"	1.81"	Vented
96279	5	4.500"	11.24"	2.225"	Vented	96376	4	100 mm	9.35"	1.815"	Solid
96280	4	100 mm	10.125"	1.785"	Vented	96378	6	5.500"	12.4"	3.315"	Vented
96282	4	4.500"	10.475"	2.375"	Vented	96379	4	4.500"	9.08"	1.855"	Solid
96301	5	112 mm	10.31"	1.79"	Vented	96381	4	100 mm	9.29"	1.775"	Solid
96302	5	4.500"	10.04"	2.85"	Solid	96382	4	100 mm	9.21"	1.775"	Solid
96303	5	112 mm	10.16"	2.19"	Vented	96383	4	4.500"	10.24"	1.69"	Solid
96304	5	112 mm	10.74"	2.485"	Solid	96384	4	4.250"	9.73"	1.35"	Solid
96305	5	112 mm	10.31"	1.75"	Solid	96385	4	4.250"	10.46"	1.077"	Solid
96306	5	112 mm	11.17"	1.71"	Vented	96386	6	5.500"	12.26"	2.295"	Vented
96307	5	112 mm	11.18"	1.83"	Vented	96387	5	120 mm	11.02"	2.365"	Vented
96308	5	120 mm	11.18"	2.4"	Solid	96388	4	4.250"	10.07"	2.02"	Solid
96309	4	100 mm	10.42"	1.25"	Solid	96389	5	112 mm	12.6"	3.225"	Vented
96310	5	112 mm	11.25"	2.36"	Vented	96390	5	112 mm	11.8"	2.355"	Vented
96313	5	4.500"	10.83"	1.86"	Vented	96391	5	112 mm	10.95"	2.185"	Vented
96314	4	100 mm	9.075"	1.695"	Vented	96392	5	112 mm	12.21"	3.225"	Vented
96317	5	4.500"	11.48"	2.505"	Solid	96393	5	120 mm	11.26"	2.035"	Vented
96318	5	4.500"	10.16"	1.91"	Vented	96394	5	130 mm	11.41"	3.27"	Vented
96319	5	4.500"	10.27"	1.575"	Vented	96395	5	130 mm	11.12"	2.92"	Vented
96321	5	4.500"	10.86"	2.515"	Vented	96408	4	4.500"	10.16"	1.755"	Vented
96322	5	4.500"	11.56"	2.64"	Vented	96413	5	4.250"	10.43"	2.095"	Vented
96329	5	120 mm	11.88"	2.99"	Vented	96414	4	4.250"	11.62"	2.85"	Solid
96330	4	104 mm	10.12"	1.33"	Vented	96415	4	4.250"	11"	1.985"	Solid
96336	6	109 mm	11.02"	1.42"	Vented	96419	5	100 mm	9.55"	2.085"	Vented
96339	6	5.500"	12.33"	3.16"	Vented	96421	5	112 mm	11.325"	1.82"	Vented
96340	5	4.500"	10.82"	1.99"	Vented	96422	4	4.250"	9.64"	1.82"	Vented
96341	5	4.500"	11.65"	2"	Vented	96423	5	112 mm	9.63"	2.525"	Solid
96342	4	100 mm	9.4"	1.52"	Vented	96424	5	112 mm	9.64"	1.57"	Solid
96343	6	5.000"	11.45"	2.59"	Solid	96425	5	112 mm	9.64"	1.82"	Solid
96344	5	112 mm	10.15"	2.245"	Vented	96426	4	4.250"	9.64"	2.57"	Solid
96346	5	100 mm	11.02"	1.117"	Vented	96427	5	112 mm	10.86"	1.82"	Solid
96347	5	120 mm	12.75"	2.405"	Vented	96428	4	4.250"	10.86"	2.213"	Vented
96349	5	4.500"	11.41"	2.655"	Solid	96429	5	112 mm	10.585"	1.812"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96430	5	100 mm	8.9"	2.82"	Vented	96592	5	4.500"	10.22"	3.145"	Vented
96431	5	130 mm	11.969"	3.031"	Vented	96594	5	100 mm	10.58"	2.53"	Vented
96432	5	130 mm	11.732"	3.15"	Vented	96598	4	100 mm	9.13"	1.78"	Vented
96433	5	130 mm	11.969"	3.031"	Vented	96606	5	4.500"	10.86"	2.28"	Vented
96460	5	4.250"	10.32"	2.2"	Vented	96611	4	100 mm	9.25"	1.95"	Vented
96464	4	100 mm	10.03"	1.775"	Vented	96612	5	5.500"	12.2"	1.815"	Vented
96469	10	4.500"	11.65"	2"	Vented	96613	5	4.500"	11.88"	1.825"	Vented
96470	5	4.500"	12.72"	1.955"	Vented	96615	6	124 mm	11.13"	1.5"	Vented
96471	5	4.500"	12.72"	1.955"	Vented	96616	4	4.500"	10.24"	2.35"	Vented
96472	5	4.500"	12.08"	2.645"	Vented	96617	4	4.500"	10.16"	1.59"	Solid
96473	5	4.500"	11.65"	2"	Vented	96620	4	3.750"	10.38"	1.01"	Solid
96477	5	4.500"	10.78"	2.005"	Vented	96622	5	110 mm	11.17"	2.38"	Vented
96478	5	4.500"	11.25"	2.24"	Vented	96632	6	5.500"	12.54"	2.78"	Vented
96481	5	130 mm	11.969"	2.835"	Vented	96649	5	4.500"	11.25"	2.25"	Vented
96482	5	130 mm	11.969"	2.835"	Vented	96658	5	100 mm	10.895"	2.23"	Vented
96483	5	130 mm	11.76"	2.91"	Vented	96662	5	4.500"	11.09"	1.28"	Vented
96484	5	130 mm	11.772"	2.165"	Vented	96663	5	4.500"	11.09"	1.415"	Vented
96485	5	126 mm	11.73"	1.775"	Vented	96664	5	120 mm	12.75"	3.035"	Vented
96486	5	130 mm	11.76"	2.91"	Vented	96666	5	112 mm	10.94"	2.11"	Solid
96490	5	120 mm	11.8"	2.4"	Vented	96667	5	130 mm	11.41"	3.095"	Solid
96491	5	4.500"	10.15"	1.83"	Solid	96668	5	126 mm	11.12"	1.38"	Vented
96497	5	112 mm	11.1"	2.555"	Vented	96669	4	4.500"	11.07"	2.81"	Vented
96498	5	100 mm	10.58"	2.555"	Solid	96678	5	120 mm	10.7"	3.075"	Vented
96499	5	100 mm	10.03"	1.94"	Solid	96679	5	120 mm	11.7"	2.545"	Solid
96500	5	100 mm	10.82"	1.94"	Vented	96680	5	5.000"	11.73"	2.76"	Vented
96503	5	4.500"	11.33"	2.555"	Solid	96681	5	120 mm	13.14"	3.035"	Vented
96507	5	4.500"	9.9"	1.945"	Solid	96682	5	100 mm	11.32"	1.11"	Vented
96511	5	4.500"	10.94"	1.755"	Vented	96687	6	4.250"	10.86"	1.78"	Vented
96512	5	4.500"	12.75"	2.655"	Solid	96690	6	4.250"	10.86"	1.78"	Vented
96513	5	110 mm	10.24"	2.73"	Vented	96691	5	4.500"	12.4"	2.09"	Vented
96514	5	110 mm	11.18"	1.615"	Solid	96693	5	4.500"	11.18"	2.587"	Vented
96515	5	4.250"	11.62"	2.85"	Vented	96696	5	4.750"	12"	2.67"	Vented
96516	5	4.250"	11"	1.985"	Solid	96697	5	4.750"	11.72"	2.63"	Vented
96517	4	4.500"	10.07"	1.785"	Vented	96699	5	112 mm	11.58"	1.95"	Solid
96518	4	4.500"	10.16"	1.575"	Vented	96704	5	4.500"	10.1"	1.93"	Vented
96519	5	120 mm	11.81"	2.68"	Solid	96706	5	4.500"	10.225"	1.66"	Vented
96524	5	120 mm	12.4"	2.07"	Vented	96708	4	4.500"	10.225"	1.9"	Vented
96525	5	120 mm	12.4"	3.07"	Vented	96709	4	4.500"	10.23"	1.85"	Solid
96526	5	120 mm	11.8"	2.405"	Vented	96710	5	4.500"	10.225"	1.9"	Solid
96544	4	100 mm	9.4"	1.875"	Vented	96711	5	4.500"	11.1"	1.85"	Solid
96555	4	100 mm	9.56"	1.677"	Solid	96712	5	130 mm	11.38"	3.94"	Vented
96556	4	4.500"	11.34"	1.78"	Vented	96714	5	112 mm	11.18"	1.71"	Vented
96562	4	4.500"	11.091"	1.339"	Vented	96719	5	120 mm	11.26"	2.03"	Solid
96566	5	110 mm	10"	1.615"	Solid	96720	6	124 mm	11.81"	1.495"	Vented
96568	5	4.500"	11.46"	2.55"	Vented	96723	5	4.500"	10.08"	1.78"	Vented
96575	6	5.500"	11.68"	2.77"	Vented	96728	5	120 mm	11.98"	2.475"	Solid
96580	5	130 mm	11.1"	2.36"	Vented	96731	5	4.500"	11.92"	1.287"	Vented
96581	5	130 mm	11.1"	2.36"	Vented	96732	5	4.500"	10.224"	1.898"	Solid
96585	5	4.750"	11.6"	2.62"	Vented	96733	5	4.500"	11.728	1.42"	Vented
96586	5	4.750"	11.46"	2.635"	Vented	96734	4	4.500"	11.1"	1.85"	Solid
96587	5	4.750"	10.95"	2.675"	Vented	96736	5	4.500"	10.16"	2.245"	Vented
96589	4	100 mm	9.72"	1.78"	Solid	96737	5	5.500"	11.2"	2.01"	Solid
96590	4	4.500"	10.22"	2.5"	Vented	96738	5	120 mm	12.75"	3.035"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96742	5	4.250"	10.43"	2.79"	Vented	96847	5	112 mm	12.598"	1.988"	Vented
96751	6	4.500"	10.24"	1.57"	Vented	96848	5	112 mm	12.598"	1.988"	Vented
96752	5	4.500"	11.65"	2.11"	Vented	96849	5	4.500"	11.11"	2.32"	Vented
96754	5	4.500"	10.825"	1.94"	Vented	96850	5	4.500"	11.09"	2.41"	Solid
96758	5	110 mm	11.26"	2.725"	Vented	96852	5	130 mm	11.49"	2.635"	Solid
96759	5	110 mm	11.335"	1.655"	Solid	96861	5	130 mm	11.732"	2.638"	Vented
96760	5	4.500"	12.08"	2.505"	Vented	96862	5	112 mm	10.865"	2.335"	Vented
96762	5	112 mm	11.42"	2.11"	Vented	96863	5	112 mm	9.646"	3.287"	Vented
96763	5	112 mm	11.42"	2.35"	Solid	96867	4	96 mm	9.134"	1.437"	Vented
96764	5	112 mm	10.94"	2.19"	Solid	96870	4	4.500"	9.715"	1.85"	Vented
96765	5	112 mm	11.34"	1.83"	Solid	96872	4	98 mm	10.748"	1.693"	Solid
96766	5	112 mm	11.81"	2.264"	Vented	96873	4	120 mm	10.748"	.965"	Solid
96767	5	112 mm	11.8"	1.83"	Vented	96874	4	98 mm	10.748"	1.63"	Vented
96769	5	120 mm	10.7"	3.27"	Vented	96875	5	4.250"	10.71"	2.913"	Vented
96770	5	120 mm	12.913"	2.402"	Solid	96876	4	3.750"	10.394"	1.008"	Solid
96771	5	112 mm	10.95"	2.245"	Vented	96877	4	4.500"	10.11"	2.48"	Solid
96772	5	4.250"	11.142"	2.441"	Solid	96891	5	4.500"	10.866"	1.78"	Vented
96773	5	4.250"	10.906"	2.795"	Solid	96892	4	102 mm	10.08"	1.406"	Vented
96774	5	5.000"	11.42"	2.415"	Solid	96899	5	120 mm	10.704"	2.697"	Vented
96778	5	100 mm	11.02"	1.435"	Vented	96900	5	98 mm	10.59"	3.77"	Vented
96779	5	100 mm	9.13"	1.555"	Vented	96901	6	80 mm	9.843"	.827"	Solid
96780	5	120 mm	11.25"	2.027"	Solid	96902	5	4.250"	11.014"	3.268"	Solid
96781	5	112 mm	11.12"	1.82"	Vented	96903	5	5.000"	11.752"	2.756"	Solid
96782	5	112 mm	11.015"	1.825"	Vented	96904	5	4.250"	11.29"	3.45"	Solid
96783	5	112 mm	11.921"	2.018"	Vented	96905	5	98 mm	9.89"	1.988"	Vented
96784	5	130 mm	11.772"	2.795"	Vented	96906	5	98 mm	11.063"	1.713"	Solid
96788	5	112 mm	11.22"	2.189"	Vented	96911	5	100 mm	11.02"	1.54"	Vented
96790	5	4.500"	10.775"	1.865"	Vented	96922	5	5.500"	12.195"	1.14"	Vented
96791	5	4.500"	11.015"	1.57"	Vented	96929	6	5.500"	12.285"	2.68"	Vented
96792	4	100 mm	10.63"	2.4"	Solid	96931	6	5.500"	12.55"	2.765"	Vented
96795	5	4.500"	11.81"	1.86"	Solid	96932	5	4.500"	11.34"	2.56"	Vented
96796	5	150 mm	12.96"	4.04"	Vented	96933	5	100 mm	10.585"	2.195"	Solid
96797	5	144 mm	12.32"	2.745"	Vented	96934	5	100 mm	10.825"	1.935"	Solid
96800	4	100 mm	10.079"	1.551"	Vented	96935	5	4.500"	11.09"	1.56"	Solid
96801	5	120 mm	11.654"	2.992"	Solid	96936	5	4.500"	11.8"	1.56"	Solid
96802	5	120 mm	11.732"	2.402"	Vented	96937	5	100 mm	11.4"	2.65"	Vented
96803	4	4.250"	10.71"	2.695"	Solid	96938	4	100 mm	10.265"	1.575"	Solid
96804	4	4.250"	10.51"	2.57"	Solid	96939	5	112 mm	9.64"	1.88"	Solid
96805	5	4.750"	12.008"	1.949"	Solid	96940	5	112 mm	13.03"	2.165"	Solid
96806	5	100 mm	11.33"	1.35"	Vented	96941	5	112 mm	13.585"	2"	Solid
96807	4	4.500"	10.08"	1.78"	Vented	96948	5	4.500"	11.015"	1.935"	Solid
96809	5	5.500"	12.195"	1.14"	Vented	96949	5	4.500"	10.07"	1.845"	Vented
96810	5	112 mm	11.61"	1.95"	Vented	96950	4	100 mm	10.075"	1.86"	Vented
96811	5	4.750"	11.59"	2.67"	Vented	96951	5	4.500"	10.15"	2.545"	Vented
96812	5	120 mm	11.02"	2.685"	Solid	96952	4	100 mm	10.15"	2.545"	Solid
96813	5	120 mm	11.8"	2.68"	Solid	96953	4	100 mm	10.075"	1.86"	Solid
96816	4	4.500"	9.83"	3.563"	Vented	96954	4	100 mm	10.08"	1.61"	Vented
96817	4	100 mm	9.24"	1.805"	Vented	96956	5	112 mm	11.185"	1.715"	Solid
96818	4	100 mm	10.145"	1.84"	Vented	96958	5	120 mm	11.02"	2.365"	Vented
96819	5	4.500"	11.34"	2.36"	Vented	96959	5	120 mm	12.75"	2.4"	Solid
96820	5	4.500"	11.65"	1.94"	Solid	96960	5	120 mm	13.14"	3.03"	Solid
96838	5	112 mm	12.598"	3.228"	Vented	96961	5	120 mm	12.75"	3.03"	Vented
96845	5	4.500"	11.81"	1.86"	Vented	96962	5	130 mm	11.772"	2.953"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96963	5	130 mm	12.52"	2.638"	Vented	580334	5	4.750"	13.386"	1.785"	Vented
96964	5	130 mm	12.52"	2.638"	Vented	580357	6	5.500"	12.402"	2.76"	Vented
96970	5	120 mm	12.402"	2.992"	Vented	580358	6	5.500"	12.283"	2.669"	Solid
96971	4	100 mm	10.35"	1.618"	Vented	580359	6	5.000"	11.89"	2.14"	Solid
96972	4	100 mm	10.04"	1.695"	Vented	580364	5	115 mm	12.6"	1.89"	Vented
96973	4	100 mm	10.08"	1.775"	Vented	580365	5	115 mm	12"	1.992"	Vented
96974	6	4.250"	12.365"	1.78"	Vented	580366	5	110 mm	10.942"	1.638"	Solid
96975	6	5.500"	11.415"	1.82"	Vented	580367	5	110 mm	11.656"	1.705"	Vented
96976	5	4.500"	11.654"	1.98"	Vented	580371	6	115 mm	11.694"	2.051"	Vented
96983	6	5.500"	11.815"	2.85"	Vented	580373	6	115 mm	11.815"	1.37"	Solid
96985	4	100 mm	10.04"	1.93"	Vented	580380	8	6.500"	12.989"	3.416	Vented
96986	4	100 mm	9.25"	1.7"	Vented	580381	5	115 mm	12.718"	2.046"	Vented
96987	5	112 mm	10.04"	2.115"	Solid	580382	5	110 mm	10.864"	1.686"	Vented
96988	5	4.500"	11.11"	2.57"	Solid	580387	5	115 mm	12.714"	2.05"	Vented
96989	4	4.500"	10.115"	1.8"	Solid	580401	5	115 mm	10.945"	1.988"	Solid
580000	8	6.500"	12.795"	3.51"	Vented	580403	5	115 mm	11.928"	2.045"	Vented
580019	6	5.000"	12.008"	2.136"	Solid	580405	5	115 mm	11.498"	1.936"	Solid
580023	6	5.000"	12.795"	2.136"	Vented	580406	8	6.500"	12.992"	3.315"	Vented
580029	6	5.000"	12.8"	3.345"	Vented	580408	5	4.750"	13.976"	1.781"	Vented
580031	5	115 mm	11.815"	2.04"	Vented	580410	4	4.500"	10.941"	1.856"	Vented
580044	5	115 mm	11.43"	1.79"	Vented	580415	5	172 mm	15"	4.132"	Vented
580063	5	120 mm	11.25"	3.095"	Vented	580422	6	5.500"	13.573	3.347	Vented
580064	5	120 mm	11.64"	3.23"	Solid	580437	5	115 mm	10.5"	1.425"	Vented
580065	8	6.500"	12.47"	4.955"	Vented	580438	6	5.500"	11.61"	2.602"	Vented
580083	5	115 mm	11.65"	2.025"	Vented	580439	5	115 mm	10.1"	1.114"	Solid
580102	5	115 mm	11.735"	1.895"	Vented	580442	5	5.000"	11.61"	3.273	Vented
580104	5	115 mm	11.92"	2.04"	Vented	580449	5	115 mm	10.945"	1.086	Solid
580120	5	115 mm	11.92"	2.04"	Vented	580450	5	115 mm	11.235"	1.484"	Vented
580137	4	100 mm	10.08"	1.84"	Vented	580502	6	5.000"	12.795"	2.142"	Vented
580162	6	5.500"	13"	3.41"	Vented	580503	5	110 mm	11.024"	1.843"	Vented
580165	6	5.500"	13"	3.76"	Vented	580543	5	115 mm	11.929"	2.823"	Vented
580171	5	118 mm	10.63"	1.445"	Solid	580547	5	115 mm	11.651"	2.034"	Vented
580173	8	6.500"	12.99"	3.37"	Solid	580559	5	118 mm	11.929"	2"	Vented
580184	5	110 mm	11.655"	1.69"	Vented	580560	6	132 mm	12.795"	2.146"	Vented
580188	5	118 mm	11.69"	2.04"	Solid	580569	6	132 mm	13.031"	2.102"	Vented
580207	5	4.750"	10.5"	4.314"	Solid	680014	5	4.500"	12.02"	2.21"	Vented
580212	4	100 mm	10.08"	1.616	Vented	680021	5	4.500"	12"	4.25"	Vented
580216	6	112 mm	11.03"	1.573"	Vented	680025	5	4.500"	10.945"	1.845"	Solid
580243	5	110 mm	10.63"	1.77"	Solid	680026	5	4.500"	11.85"	2.3"	Vented
580244	5	110 mm	10.865"	1.685"	Vented	680027	5	4.500"	12.01"	2.6"	Solid
580252	5	4.750"	12.01"	1.925"	Vented	680035	4	4.250"	9.95"	1.3"	Vented
580253	5	4.750"	12.795"	1.79"	Vented	680093	5	4.500"	11.28"	4.25"	Vented
580259	6	115 mm	12.715"	2.04"	Vented	680105	6	135 mm	12.99"	1.885"	Vented
580260	6	115 mm	12.6"	1.89"	Vented	680106	6	135 mm	13.465"	2.025"	Vented
580263	10	7.250"	15.376	3.403	Vented	680107	10	4.500"	11.615"	2.42"	Vented
580264	5	115 mm	12.715"	2.04"	Solid	680108	5	4.500"	13.15"	2.25"	Vented
580265	6	115 mm	14.378"	1.772"	Vented	680110	5	4.500"	12.015"	1.77"	Vented
580266	6	115 mm	13.986"	1.959"	Vented	680129	5	4.500"	11.615"	2.29"	Vented
580279	6	5.500"	12.99"	2.185"	Vented	680130	4	4.250"	11.82"	1.745"	Vented
580297	5	115 mm	11.815"	1.17"	Solid	680146	4	4.250"	11.025"	1.295"	Vented
580298	5	115 mm	11.695"	2.05"	Vented	680147	5	4.500"	11.83"	2.3"	Solid
580299	5	115 mm	11.815"	1.37"	Solid	680166	5	4.500"	13"	2.29"	Vented
580332	5	120 mm	12.579"	3.248	Vented	680167	5	4.500"	12.71"	2.3"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
680178	6	135 mm	12.99"	3.625"	Vented	780152	5	5.000"	12.28"	2.21"	Solid
680179	7	150 mm	12.99"	3.625"	Vented	780175	5	5.000"	12.52"	1.85"	Solid
680180	6	135 mm	12.99"	1.885"	Vented	780196	6	145 mm	11.23"	3.655"	Vented
680181	7	150 mm	12.99"	1.885"	Vented	780217	5	5.500"	14.961"	3.012"	Vented
680182	6	135 mm	13.7"	3.39"	Vented	780223	5	5.500"	12.468"	2.801"	Vented
680183	7	150 mm	13.7"	3.39"	Vented	780224	5	5.500"	12.717"	4.941"	Vented
680189	5	4.500"	12.44"	1.525"	Vented	780249	5	5.500"	13.78"	3.315	Vented
680190	5	4.500"	11.53"	1.91"	Vented	780254	5	115 mm	12.595"	2.635"	Solid
680191	10	163 mm	15.55"	4.87"	Vented	780255	5	115 mm	12.6"	2.15"	Vented
680215	8	170 mm	13.03"	5.65"	Solid	780256	5	115 mm	13.59"	2.15"	Vented
680219	8	170 mm	13.03"	8.946"	Vented	780257	5	115 mm	12.6"	2.635"	Vented
680271	5	4.500"	11.885"	2.2"	Vented	780258	5	5.500"	12.28"	2.595"	Vented
680272	5	4.500"	11.925"	1.845"	Vented	780289	5	5.000"	12.915	2.085	Vented
680280	8	170 mm	13.66"	3.935"	Vented	780296	5	5.000"	12.595"	2.615"	Solid
680281	5	4.500"	13"	1.515"	Solid	780346	5	130 mm	11.21	2.836"	Vented
680282	5	4.500"	12.413"	1.849"	Vented	780389	5	115 mm	14.173"	2.283"	Vented
680286	8	200 mm	13.66"	9.99"	Vented	780390	5	115 mm	13.78"	2.677"	Vented
680305	10	170 mm	14.53"	3.875"	Vented	780395	5	115 mm	13.778"	2.642"	Vented
680306	8	170 mm	13.66"	5.94	Vented	780421	5	5.000"	14.169"	2.083"	Vented
680313	5	4.500"	11.535"	1.89"	Vented	780444	5	4.500"	11.02"	3.192	Vented
680318	5	4.500"	11.81"	1.37"	Vented	780457	5	4.500"	10.313	2.371"	Solid
680319	4	4.250"	10.94"	1.765"	Vented	780458	5	4.500"	10.861"	1.796"	Vented
680320	5	5.500"	12.83"	4.91"	Vented	780459	5	4.500"	11.575"	1.799"	Vented
680326	5	4.500"	12.44"	1.89"	Vented	780514	5	5.000"	5.000"	2.685"	Vented
680339	8	170 mm	13.66"	3.935"	Vented	780518	5	5.000"	11.89"	2.169"	Vented
680344	8	156 mm	13.38"	4.925"	Vented	780519	5	5.000"	12.441"	3.01"	Solid
680363	5	5.500"	13.03"	2.975"	Vented	780540	5	4.500"	11.896"	2.524"	Vented
680374	10	163 mm	15.354"	4.89"	Vented	780541	5	4.500"	11.89"	2.366"	Solid
680375	10	7.250"	15.373"	3.391"	Vented	780542	5	4.500"	12.441"	3.008"	Solid
680376	10	7.250"	15.371	3.396	Vented	980001	5	112 mm	12.283"	1.823"	Vented
680394	8	170 mm	13.389"	4.966	Vented	980002	5	112 mm	9.64"	2.11"	Solid
680404	5	4.500"	11.77"	1.908"	Vented	980003	5	112 mm	10.581"	2.122"	Solid
680416	5	4.500"	12.009"	2.13"	Vented	980004	9	100 mm	12.283"	1.354"	Vented
680507	6	135 mm	13.474"	2.204"	Vented	980005	5	112 mm	12.632"	2.067"	Vented
680508	6	135 mm	13.78"	1.945"	Vented	980006	5	4.750"	11.46"	2.635"	Vented
680544	5	4.500"	12.598"	1.9"	Vented	980007	5	130 mm	11.102"	2.378"	Vented
680545	5	4.500"	11.642"	1.903"	Vented	980008	5	130 mm	11.732"	2.913"	Vented
680546	5	4.500"	11.882"	2.224"	Vented	980009	5	120 mm	11.811"	2.992"	Vented
780020	8	6.500"	12.73"	5.15"	Vented	980011	5	120 mm	11.81"	2.027"	Vented
780036	5	4.500"	11.345"	2.545"	Solid	980017	5	120 mm	13.06"	2.44"	Vented
780037	5	4.500"	11.065"	1.49"	Vented	980018	5	120 mm	12.75"	3.154"	Vented
780049	5	4.500"	11.06"	1.49"	Vented	980022	5	112 mm	11.024"	2.185"	Vented
780073	5	5.500"	13.23"	2.655"	Vented	980024	5	112 mm	10.03"	1.875"	Solid
780082	5	5.500"	13.86"	2.835"	Vented	980028	5	112 mm	12.638"	1.831"	Vented
780133	6	4.500"	12.125"	2.405"	Solid	980030	4	100 mm	9.685"	1.969"	Vented
780134	5	4.500"	11.22"	2.275"	Vented	980032	5	4.500"	12.33"	2.195"	Vented
780135	5	100 mm	10.63"	2.09"	Solid	980033	5	4.500"	10.825"	1.935"	Solid
780136	5	100 mm	11.025"	1.55"	Solid	980038	5	112 mm	12.402"	2.335"	Vented
780139	8	6.500"	13.855"	5.15"	Solid	980039	5	112 mm	11.811"	2.303"	Vented
780142	6	4.500"	12.465"	2.799"	Vented	980040	5	112 mm	12.441"	1.831"	Vented
780143	8	6.500"	13.89"	4.01"	Vented	980041	5	112 mm	12.992"	2.992"	Vented
780144	6	4.500"	12.28"	3.205"	Vented	980045	5	4.250"	11.339"	2.551"	Solid
780145	6	4.500"	12.125"	2.475"	Solid	980046	5	4.250"	11.24"	1.98"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
980048	5	112 mm	11.811"	2.177"	Vented	980128	5	112 mm	12.992"	1.831"	Vented
980050	5	4.250"	12.008"	1.98"	Vented	980131	5	100 mm	10.079"	1.433"	Vented
980051	12	136 mm	11.54"	2.265"	Vented	980132	5	100 mm	9.409"	1.314"	Vented
980052	12	136 mm	11.1"	2.46"	Vented	980138	5	4.500"	10.225"	1.915"	Vented
980054	4	4.500"	10.315"	2.402"	Vented	980141	5	100 mm	11.545"	2.23"	Vented
980057	5	110 mm	12.126"	1.654"	Solid	980151	5	4.500"	11.11"	2.32"	Solid
980058	5	110 mm	11.26"	2.717"	Vented	980153	5	100 mm	10.866"	1.736"	Vented
980059	5	4.500"	10.303"	1.854"	Solid	980154	4	100 mm	10.197"	1.732"	Solid
980060	5	4.500"	11.811"	1.85"	Vented	980155	5	4.500"	12.126"	2.441"	Solid
980061	12	136 mm	12.21"	2.185"	Vented	980156	5	4.500"	12.58"	1.935"	Vented
980066	12	136 mm	14.295"	3.95"	Vented	980157	5	130 mm	10.855"	3.03"	Vented
980069	5	4.500"	11.09"	2.41"	Vented	980158	5	130 mm	10.855"	3.03"	Vented
980070	5	4.500"	11.475"	2.445"	Solid	980159	5	4.500"	11.65"	1.935"	Vented
980071	5	4.500"	11.1"	2.32"	Solid	980160	6	5.500"	13.3"	2.64"	Vented
980072	5	4.500"	11.09"	1.86"	Solid	980161	6	5.500"	12.55"	2.65"	Vented
980074	5	4.500"	11.65"	1.935"	Vented	980163	4	100 mm	9.495"	2.04"	Vented
980075	4	4.500"	10.11"	1.93"	Vented	980164	5	130 mm	10.69"	3.8"	Vented
980076	5	4.500"	10.591"	2.551"	Vented	980172	5	4.500"	11.015"	1.57"	Solid
980077	5	4.500"	11.65"	1.93"	Solid	980174	4	100 mm	10.225"	1.89"	Solid
980078	4	100 mm	10.15"	1.91"	Vented	980176	5	120 mm	12.28"	2.405"	Vented
980079	4	4.500"	10.11"	1.86"	Vented	980177	5	120 mm	12.28"	2.405"	Vented
980080	5	4.500"	10.865"	1.905"	Vented	980185	5	4.500"	12.402"	1.976"	Vented
980081	6	5.500"	11.41"	2.25"	Vented	980186	5	4.500"	11.415"	1.815"	Vented
980084	4	4.500"	11.063"	1.791"	Vented	980187	5	4.500"	11.89"	2.315"	Vented
980085	4	4.500"	10.236"	1.614"	Vented	980192	4	4.500"	12.011"	1.938"	Vented
980086	5	4.500"	10.157"	1.783"	Solid	980193	5	4.500"	12.6"	1.71"	Vented
980087	5	4.500"	11.181"	2.402"	Solid	980194	5	4.500"	11.81"	2.285"	Vented
980088	5	4.500"	12.33"	2.64"	Solid	980195	5	120 mm	10.866"	2.362"	Vented
980089	5	4.500"	11.025"	1.865"	Solid	980197	6	5.500"	12.6"	1.69"	Vented
980090	5	4.500"	10.865"	1.855"	Vented	980198	6	5.500"	12.58"	2.28"	Vented
980091	5	4.500"	11.58"	1.82"	Vented	980199	5	4.500"	12.205"	2.646"	Vented
980092	5	4.500"	10.85"	1.815"	Vented	980200	5	4.500"	11.339"	2.551"	Solid
980094	5	120 mm	12.756"	2.894"	Vented	980201	4	100 mm	10.04"	1.695"	Solid
980095	5	4.500"	10.315"	2.402"	Vented	980202	4	4.500"	10.87"	1.79"	Vented
980096	5	120 mm	12.795"	2.067"	Solid	980203	5	112 mm	11.811"	2.303"	Solid
980098	4	100 mm	9.495"	2.04"	Vented	980208	5	4.500"	10.315"	2.365"	Vented
980100	5	112 mm	13.583"	1.827"	Vented	980209	5	4.500"	11.58"	1.79"	Solid
980101	5	112 mm	11.338"	1.831"	Vented	980210	5	4.500"	11.93"	2.47"	Vented
980103	10	112 mm	10.039"	1.567"	Vented	980211	5	4.500"	11.34"	2.735"	Solid
980109	4	100 mm	9.56"	1.717"	Vented	980213	5	4.500"	11.455"	2.695"	Solid
980111	5	112 mm	11.417"	2.205"	Vented	980218	5	4.250"	11.89"	1.969"	Vented
980112	4	4.500"	10.12"	1.825"	Solid	980220	5	4.500"	11.81"	1.85"	Vented
980113	5	4.500"	11.496"	2.441"	Vented	980221	5	112 mm	11.811"	2.689"	Solid
980114	5	4.500"		2.525"	Vented	980222	5	112 mm	11.634"	2.146"	Vented
980115	5	4.500"	11.654"	1.937"	Vented	980225	5	4.500"	12.6"	1.935"	Vented
980116	5	4.500"	11.409"	1.939"	Vented	980227	5	112 mm	12.63"	2.055"	Vented
980117	5	112 mm	10.079"	1.882"	Vented	980228	5	130 mm	12.992"	2.697"	Vented
980118	5	120 mm	14.01"	2.445"	Vented	980229	5	130 mm	12.992"	2.697"	Vented
980119						980230	5	130 mm	12.984"	2.898"	Vented
980124	5	120 mm	13.583"	2.638"	Vented	980231	5	112 mm	11.33"	1.815"	Vented
980125	5	120 mm	13.7"	3.189"	Vented	980232	10	112 mm	12.205"	1.669"	Vented
980126	5	120 mm	12.598"	2.382"	Vented	980233	10	112 mm	14.173"	2.346"	Vented
980127	5	120 mm	11.575"	2.343"	Vented	980234	5	4.250"	11.811"	1.85"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
980235	5	4.250"	11.024"	1.339"	Vented	980329	5	110 mm	10.945"	1.63"	Solid
980238	5	112 mm	13.583"	2.992"	Solid	980330	5	110 mm	11.22"	1.657"	Vented
980239	5	126 mm	11.963"	2.238"	Vented	980333	5	4.500"	12.114"	2.441"	Vented
980240	5	126 mm	11.963"	2.238"	Vented	980338	4	4.500"	10.07"	1.855"	Vented
980241	4	100 mm	9.99"	1.995"	Vented	980340	4	4.500"	10.865"	2.29"	Solid
980242	4	4.250"	10.866"	2.028"	Vented	980341	5	4.500"	12.56"	1.93"	Vented
980245	5	4.500"	10.225"	1.91"	Solid	980342	5	120 mm	12.185"	2.634"	Vented
980250	5	4.500"	12.76"	1.925"	Vented	980343	5	120 mm	12.591"	1.974"	Vented
980251	5	4.500"		2.449"	Vented	980345	5	120 mm		2.323"	Vented
980261	5	112 mm	11.024"	1.594"	Solid	980347	5	100 mm	11.41	2.655"	Vented
980262	5	112 mm	11.575"	1.614"	Solid	980348	5	100 mm	12.441	2.646	Vented
980267	5	112 mm	12.323"	2.213"	Vented	980349	5	120 mm	13.135"	2.195"	Solid
980269	5	112 mm	12.283"	2.539"	Vented	980350	5	4.500"	11.642"	2.01"	Vented
980270	5	112 mm	11.811"	2.677"	Vented	980351	5	120 mm	13.287"	2.441"	Vented
980273	5	120 mm	11.713"	3.602"	Vented	980352	5	4.500"	11.575"	1.791"	Vented
980274	5	112 mm	12.283"	2.992"	Vented	980353	5	120 mm	12.59"	1.855"	Vented
980275	5	4.250"	12.441"	1.969"	Vented	980354	5	100 mm	10.778"	2.655"	Solid
980276	5	4.250"	12.126"	2.543"	Vented	980355	5	4.500"	12.437"	2.65"	Vented
980277	5	4.500"	11.93"	1.85"	Vented	980356	5	4.500"	12.843"	2.075"	Vented
980278	5	112 mm	11.015"	1.825"	Vented	980360	5	100 mm	11.551	2.233	Vented
980283	5	4.500"	11.81"	1.905"	Vented	980361	5	100 mm	12.429"	2.236	Vented
980284	5	4.500"	11.24"	2.295"	Vented	980362	5	100 mm	12.835	2.079"	Vented
980285	5	4.500"	10.43"	1.605"	Solid	980368	6	4.500"	11.247"	2.435"	Vented
980287	5	4.500"	11.02"	1.605"	Solid	980369	6	4.500"	11.13"	1.501"	Vented
980288	5	4.500"	11.13"	1.905"	Solid	980370	6	4.500"	11.647"	1.502"	Vented
980290	5	120 mm	11.65"	1.855"	Vented	980372	5	4.500"	12.559"	1.937"	Vented
980291	5	120 mm	12.313"	2.508	Solid	980377	5	4.500"	12.425"	2.225"	Vented
980292	5	4.500"	11.92"	1.78"	Vented	980378	5	4.500"	12.589"	2.654"	Vented
980293	5	4.500"	12.71"	1.765"	Vented	980379	5	120 mm	12.589"	2.48"	Vented
980294	5	4.500"	11.988	2.402"	Solid	980383	9	112 mm	12.283"	3.13"	Vented
980295	5	4.500"	10.94"	1.905"	Vented	980385	4	4.500"	10.825"	1.866"	Vented
980300	5	120 mm	13.937"	2.949"	Solid	980388	5	4.500"	11.016"	1.937"	Vented
980301	5	120 mm	13.533"	2.988"	Solid	980392	5	120 mm	11.024"	2.953"	Solid
980302	5	112 mm	10.585"	1.827"	Vented	980393	5	120 mm	11.575"	2.94"	Vented
980303	5	4.500"	10.896"	2.008"	Vented	980396	5	120 mm	12.746"	3.0315"	Vented
980304	5	4.500"	12.2"	1.77"	Vented	980397	5	120 mm	12.795"	2.449	Vented
980307	5	4.500"	12.58"	1.935"	Vented	980398	5	120 mm	12.205"	3.035"	Vented
980308	4	4.500"	10.94"	1.755"	Vented	980399	5	120 mm		3.134"	Vented
980309	5	110 mm	11.801"	2.72"	Solid	980402	5	4.500"	10.234"	1.658	Solid
980310	5	130 mm	13.78"	2.697"	Vented	980411	5	126 mm	11.12"	1.38"	Vented
980311	5	130 mm	13.78"	2.697"	Vented	980412					
980312	5	100 mm	10.04"	1.93"	Vented	980413	5	112 mm	11.328"	1.82"	Vented
980314	4	100 mm	10.854"	1.364	Solid	980414	5	130 mm	12.402"	3.268	Vented
980315	4	100 mm	10.62"	1.805"	Vented	980417	5	4.500"	11.183"	2.165"	Solid
980316	4	100 mm	10.225"	1.91"	Solid	980419	5	4.500"	11.027"	1.865"	Vented
980317	5	4.500"	11.81"	1.85"	Vented	980420	5	4.500"	11.178"	2.142"	Solid
980321	5	4.500"	11.18"	2.755"	Vented	980423	9	112 mm	10.236"	1.893"	Solid
980322	5	4.500"	10.865"	1.97"	Vented	980424	6	5.500"	12.597"	1.695"	Vented
980323	4	4.500"	11.025"	1.865"	Vented	980425	5	112 mm	12.992"	2.48"	Vented
980324	5	5.500"	12.392"	3.445	Vented	980426	5	112 mm	13.78"	2.146"	Vented
980325	5	5.500"	11.81"	2.13"	Vented	980427	5	112 mm	12.992"	2.146"	Vented
980327	5	110 mm	11.496"	1.63"	Solid	980428	5	112 mm	12.992"	2.48"	Solid
980328	5	110 mm	11.89"	1.772"	Vented	980429	10	112 mm	12.717"	2.346	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
980433	5	4.500"	11.09"	1.415"	Vented	980552	5	4.250"	12.598"	1.908"	Vented
980451						980554	5	4.250"	12.991"	1.985"	Vented
980454	5	4.500"	11.181"	2.37"	Vented	980562					
980455	5	4.500"	11.579"	1.794"	Vented	980566	5	120 mm	12.984"	1.858"	Vented
980456	9	112 mm	11.332"	1.945"	Vented	980568	5	4.500"		2.441"	Vented
980460	5	4.500"	11.811"	1.862"	Vented	980574	5	4.500"	12.583"	1.933"	Vented
980461	5	4.500"	10.825"	2.311"	Vented	980575	5	4.500"	12.976"	1.937"	Vented
980462	6	4.500"	12.119"	2.468"	Vented	980576	5	4.500"	12.591"	1.909"	Vented
980463	6	5.500"	11.89"	2.74"	Solid	980577	5	4.500"	11.091"	1.917"	Solid
980464	6	5.500"	11.735"	2.127"	Vented	980579	5	4.500"		2.228"	Vented
980465	9	112 mm	11.88"	1.934"	SOLID	980583	5	150 mm	13.937"	3.278"	Vented
980466	5	112 mm	12.632"	2.34"	Vented	980584					
980467	5	4.500"	11.061	2.621"	Solid	980585	5	112 mm	12.205"	1.902"	Vented
980468	5	112 mm	11.33"	1.411"	Solid	980586	6	140mm	11.535"	2.118"	Vented
980469	5	112 mm	9.639	1.561"	Solid	980587					
980470	5	4.500"	11.65"	1.935"	Vented	980588	6	140 mm	12.205"	2.118"	Vented
980471	9	112 mm	13.58"	1.958"	Vented	980590	5	120 mm	13.063"	2.445	Vented
980472	5	4.500"	11.88"	1.608"	Solid	980594	5	4.500"	11.89"	2.311	Solid
980473	5	4.500"	12.354"	1.606"	Solid	980595	5	4.500"		1.929"	Vented
980474	5	4.500"	12.583"	1.811"	Vented	980597					
980475	5	4.500"	11.406"	1.772"	Vented	3500R	5	4.500"	10.97"	4.633"	Vented
980477	5	4.500"	10.827"	1.819"	Vented	3502R	5	4.500"	10.82"	4.761"	Vented
980478	5	4.500"	11.895"	2.815"	Solid	3504R	5	4.500"	10.82"	4.761"	Vented
980479	5	4.250"	11.339"	2.437"	Solid	3508R	5	4.500"	10.28"	4.761"	Vented
980482	5	120 mm	11.811"	2.894	Vented	3510R	5	4.500"	10.82"	4.761"	Vented
980483	5	4.500"	11.063"	2.157"	Solid	3512R	5	4.500"	11.03"	3.035"	Solid
980484	5	120 mm	12.984"	2.878"	Vented	3514R	5	4.500"	10.28"	4.761"	Vented
980485	5	120 mm	13.22"	2.638"	Vented	3550R	5	5.500"	11.75"	2.8"	Vented
980486	5	4.500"	11.646"	1.996"	Vented	3552R	5	5.500"	11.75"	2.205"	Vented
980487	5	4.500"	11.646"	1.996"	Vented	3931R	5	4.500"	11.03"	3.985"	Solid
980488	5	4.500"	12.205"	2.642"	Vented	4284R	5	5.500"		6.15"	Vented
980489	5	4.500"	11.457"	2.409"	Solid	4286R	5	6.500"		6.458"	Vented
980491	5	120 mm	13.575	1.819"	Vented	4288R	8	6.500"		4.156"	Vented
980494	5	4.500"	11.654	1.933	Vented	4290R	5	5.500"		4.062"	Vented
980499	5	112 mm	12.598"	1.815	Vented	4292R	5	5.500"		4.062"	Vented
980501	5	112 mm		2.341"	Vented	4294R	8	6.500"		5.92"	Vented
980504	5	4.500"	10.827"	1.868"	Vented	4403R	8	6.500"		5.92"	Vented
980510	5	112 mm	11.961"	1.874"	Vented	4440R	5	5.500"		6.35"	Vented
980511	3	112 mm	11.018"	1.495"	Solid	4942R	5	4.500"		3.6"	Solid
980515	5	4.500"	11.654"	1.858"	Vented	4943R	5	5.500"		6.35"	
980517	5	112 mm	12.198"	1.659"	Vented	4944R	6	5.500"		6.49"	
980520	5	112 mm	12.992"	1.874"	Vented	4945R	6	5.500"		6.45"	
980522	5	4.500"	11.878"	1.7"	Vented	5001PL	5	4.750"	11.5"	2.515"	Vented
980523	5	4.500"	11.883"	2.236"	Vented	5001PR	5	4.750"	11.5"	2.515"	Vented
980524	5	4.500"	11.64"	1.904"	Vented	5001R	5	4.750"	11.5"	2.515"	Solid
980526	5	120 mm	14.173"	2.439"	Vented	5005PL	5	4.750"	11.5"	2.490"	Vented
980527	5	120 mm		2.989"	Vented	5005PR	5	4.750"	11.5"	2.490"	Vented
980529	5	120 mm	12.48"	2.441"	Vented	5005R	5	4.750"	11.5"	2.49"	Vented
980530	8	7.250"	15.374"	3.402"	Vented	5006PL	5	5.000"	11.86"	4.950"	Vented
980532	5	120 mm	14.173"	3.189"	Vented	5006PR	5	5.000"	11.86"	4.950"	Vented
980533	5	112 mm	13.583"	1.835"	Vented	5006R	5	5.000"	11.86"	4.95"	Vented
980550	5	4.250"	11.024"	1.608"	Solid	5008R	4	4.000"	9.875"	3.813"	Solid
980551	5	108 mm	12.992"	2.547	Vented	5009R	5	100 mm	9.685"	3.405"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
5010R	8	6.500"	12.5"	4.775"	Vented	55996R	5	4.750"	12"	1.965"	Vented
5011R	5	5.000"	11.86"	4.935"	Solid	55997PL	5	4.750"	12"	2.205"	Vented
5013R	5	100 mm	9.7"	1.809"	Vented	55997PR	5	4.750"	12"	2.205"	Vented
5014R	8	6.500"	12.5"	2.805"	Vented	55997R	5	4.750"	12"	2.205"	Vented
5015R	4	102 mm	8.465"	1.305"	Vented	56019R	4	100 mm	10.08"	1.61"	Vented
5016R	8	6.500"	12.5"	5.17"	Vented	56022R	8	6.500"	12.5"	7.685"	Vented
5020PL	6	5.500"	11.86"	2.304"	Vented	56128PL	5	5.000"	11.86"	4.650"	Vented
5020PR	6	5.500"	11.86"	2.304"	Vented	56128PR	5	5.000"	11.86"	4.650"	Vented
5020R	6	5.500"	11.86"	2.304"	Vented	56128R	5	5.000"	11.86"	4.65"	Solid
5022R	8	6.500"	12.5"	7.685"	Vented	56132R	5	5.000"	11.61"	3.19"	Vented
5024R	4	4.000"	9.74"	3.971"	Solid	56137PL	5	4.750"	10.5"	4.314"	Vented
5026R	4	100 mm	9.685"	3.67"	Vented	56137PR	5	4.750"	10.5"	4.314"	Vented
5028R	5	5.000"	11.86"	4.65"	Vented	56137R	5	4.750"	10.5"	4.314"	Solid
5032R	5	5.000"	11.86"	4.65"	Vented	56140R	5	100 mm	10.2"	1.885"	Vented
5034R	5	4.750"	10.5"	3.92"	Vented	56148R	4	4.500"	9.1"	1.96"	Vented
5036PL	5	4.750"	10.5"	2.054"	Vented	56151R	5	5.000"	11.86"	4.65"	Vented
5036PR	5	4.750"	10.5"	2.054"	Vented	56152R	5	5.000"	11.86"	4.65"	Vented
5036R	5	4.750"	10.5"	2.054"	Vented	56168R	4	100 mm	9.64"	1.63"	Solid
5038R	5	4.750"	10.5"	4.314"	Vented	56169R	4	100 mm	9.845"	1.705"	Solid
5040PL	5	4.750"	11.005"	4.635"	Vented	56170R	4	100 mm	9.285"	1.61"	Vented
5040PR	5	4.750"	11.005"	4.635"	Vented	56189R	8	6.500"	12.56"	8.185"	Vented
5040R	5	4.750"	11.005"	4.635"	Solid	56241R	5	115 mm	11.06"	1.515"	Solid
5042R	5	100 mm	9.7"	1.945"	Solid	56242PL	8	6.500"	12.5"	2.755"	Vented
5044R	5	4.750"	11.16"	2.2"	Vented	56242PR	8	6.500"	12.5"	2.755"	Vented
5046R	8	6.500"	12.875"	3.08"	Solid	56242R	8	6.500"	12.5"	2.755"	Solid
5048R	8	6.500"	12.875"	3.08"	Vented	56258PL	5	5.000"	11.61"	4.510"	Vented
5060R	5	100 mm	9.7"	1.799"	Solid	56258PR	5	5.000"	11.61"	4.510"	Vented
5061R	5	100 mm	9.7"	1.895"	Solid	56258R	5	5.000"	11.61"	4.51"	Vented
5062R	5	100 mm	9.7"	1.808"	Vented	56263PL	8	6.500"	12.5"	4.955"	Vented
5064PL	5	4.750"	10.5"	4.314"	Solid	56263PR	8	6.500"	12.5"	4.955"	Vented
5064PR	5	4.750"	10.5"	4.314"	Solid	56263R	8	6.500"	12.5"	4.955"	Solid
5064R	5	4.750"	10.5"	4.314"	Solid	56287R	8	6.500"	12.5"	6.72"	Vented
5066PL	5	4.750"	10.5"	2.410"	Solid	56299R	6	5.500"	11.86"	7.06"	Vented
5066PR	5	4.750"	10.5"	2.410"	Solid	56300R	6	5.500"	11.86"	7.03"	Vented
5066R	5	4.750"	10.5"	2.41"	Vented	56324PL	8	6.500"	12.5"	2.755"	Vented
5068R	4	100 mm	9.685"	3.605"	Vented	56324PR	8	6.500"	12.5"	2.755"	Vented
5070R	5	100 mm	10.26"	1.95"	Vented	56324R	8	6.500"	12.5"	2.755"	Vented
5072R	5	115 mm	10.26"	2"	Solid	56325PL	5	4.645"	10.94"	2.050"	Vented
5074R	5	115 mm	10.315"	1.876"	Vented	56325PR	5	4.645"	10.94"	2.050"	Vented
5100PL	5	4.750"	11.005"	4.002"	Vented	56325R	5	118 mm	10.94"	2.05"	Vented
5100PR	5	4.750"	11.005"	4.002"	Vented	56328R	5	5.000"	11.86"	4.95"	Vented
5100R	5	4.750"	11.005"	4.002"	Vented	56331R	8	6.500"	12.5"	4.775"	Vented
5214PL	5	4.750"	11.005"	4.639"	Vented	56396R	8	6.500"	12.5"	5.17"	Vented
5214PR	5	4.750"	11.005"	4.639"	Vented	56397R	8	6.500"	12.5"	7.685"	Vented
5214R	5	4.750"	11.005"	4.639"	Vented	56407PL	5	4.645"	11.53"	1.810"	Solid
5500PL	5	4.750"	11.75"	3.080"	Vented	56407PR	5	4.645"	11.53"	1.810"	Solid
5500PR	5	4.750"	11.75"	3.080"	Vented	56407R	5	118 mm	11.53"	1.81"	Solid
5500R	5	4.750"	11.75"	3.08"	Vented	56417R	6	6.750"	14.75"	3.81"	Vented
5501PL	5	4.750"	11.75"	3.090"	Vented	56418R	5	6.750"	14.75"	3.81"	Vented
5501PR	5	4.750"	11.75"	3.090"	Vented	56420R	5	5.000"	11.86"	4.935"	Vented
5501R	5	4.750"	11.75"	3.09"	Vented	56450PL	5	5.000"	11.61"	2.335"	Vented
55996PL	5	4.750"	12"	1.965"	Vented	56450PR	5	5.000"	11.61"	2.335"	Vented
55996PR	5	4.750"	12"	1.965"	Vented	56450R	5	5.000"	11.61"	2.335"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
56454R	5	115 mm	10.945"	.95"	Vented	56829PR	8	6.500"	12.795"	3.510"	Vented
56493R	10	7.250"	13.58"	4.365"	Vented	56829R	8	6.500"	12.795"	3.51"	Vented
56494PL	5	4.750"	13"	2.205"	Vented	56830PL	8	6.500"	13"	3.420"	Vented
56494R	5	4.750"	13"	2.205"	Vented	56830PR	8	6.500"	13"	3.420"	Vented
56495PR	5	4.750"	13"	2.205"	Vented	56830R	8	6.500"	13"	3.42"	Vented
56495R	5	4.750"	13"	2.205"	Vented	56846R	5	5.500"	11.29"	1.145"	Vented
56496R	5	161 mm	13.85"	2.935"	Vented	56851R	5	118 mm	11.06"	1.52"	Solid
56543R	5	100 mm	10.43"	1.87"	Vented	56915R	6	5.500"	11.62"	4.51"	Vented
56549PL	5	4.530"	11.235"	1.460"	Vented	56919PL	6	5.500"	13"	3.760"	Vented
56549PR	5	4.530"	11.235"	1.460"	Vented	56919PR	6	5.500"	13"	3.760"	Vented
56549R	5	115 mm	11.235"	1.46"	Vented	56919R	6	5.500"	13"	3.76"	Vented
56579PL	6	5.500"	11.61"	4.510"	Vented	56925R	10	7.250"	15.385"	3.4"	Vented
56579PR	6	5.500"	11.61"	4.510"	Vented	56927R	5	5.500"	11.29"	1.145"	Vented
56579R	6	5.500"	11.61"	4.51"	Vented	56928R	10	7.250"	15.385"	3.4"	Vented
56591R	6	110 mm	10.47"	1.36"	Solid	56930R	10	7.250"	15.37"	3.4"	Vented
56593R	8	6.500"	12.56"	8.185"	Solid	56946R	6	110 mm	11.99"	1.415"	Vented
56629PL	5	4.645"	10.94"	1.980"	Solid	56957R	8	6.500"	12.8"	3.345"	Solid
56629PR	5	4.645"	10.94"	1.980"	Solid	56992R	8	6.500"	12.8"	5.2"	Vented
56629R	5	118 mm	10.94"	1.98"	Solid	56993R	5	110 mm	11.255"	2.73"	Vented
56631PL	5	4.645"	10.94"	2.050"	Vented	56994R	5	6.750"	14.75"	3.8"	Vented
56631PR	5	4.645"	10.94"	2.050"	Vented	56995R	10	7.250"	15.37"	3.4"	Vented
56631R	5	118 mm	10.94"	2.05"	Vented	56996R	10	7.250"	14.75"	3.8"	Vented
56641PL	5	4.645"	11.92"	2.040"	Vented	56998R	5	115 mm	10.83"	2.04"	Vented
56641PR	5	4.645"	11.92"	2.040"	Vented	56999R	8	6.500"	12.795"	3.51"	Vented
56641R	5	118 mm	11.92"	2.04"	Vented	58000R	8	6.500"	12.795"	3.51"	Vented
56651R	5	110 mm	11.26"	2.64"	Solid	580019R	6	5.000"	12.008"	2.136"	Solid
56652R	5	110 mm	11.64"	2.245"	Solid	580023R	6	5.000"	12.795"	2.136"	Vented
56655R	5	118 mm	10.94"	1.925"	Vented	580029R	6	5.000"	12.8"	3.345"	Vented
56694R	5	4.750"	10.82"	2.155"	Vented	580031R	5	115 mm	11.815"	2.04"	Vented
56698R	5	118 mm	11.72"	1.52"	Solid	580044R	5	115 mm	11.43"	1.79"	Vented
56700PR	5	4.750"	12.8"	1.790"	Vented	580063R	5	120 mm	11.25"	3.095"	Vented
56700R	5	4.750"	12.8"	1.79"	Vented	580064R	5	120 mm	11.64"	3.23"	Solid
56701PL	5	4.750"	12.8"	1.790"	Vented	580065R	8	6.500"	12.47"	4.955"	Vented
56701R	5	4.750"	12.8"	1.79"	Vented	580083R	5	115 mm	11.65"	2.025"	Vented
56702PL	5	4.750"	12"	1.905"	Vented	5800R	5	5.000"	11.96"	5.024"	Vented
56702R	5	4.750"	12"	1.905"	Vented	580120R	5	115 mm	11.92"	2.04"	Vented
56703PR	5	4.750"	12"	1.905"	Vented	580137PL	4	3.937"	10.08"	1.840"	Vented
56703R	5	4.750"	12"	1.905"	Vented	580137PR	4	3.937"	10.08"	1.840"	Vented
56707R	5	4.750"	11.61"	3.745"	Solid	580137R	4	100 mm	10.08"	1.84"	Vented
56725R	5	4.750"	11.61"	2.87"	Vented	580162R	6	5.500"	13"	3.41"	Vented
56750R	8	6.500"	12.5"	7.685"	Vented	580165PL	6	5.500"	13"	3.760"	Solid
56756R	5	118 mm	12.01"	2.4"	Vented	580165PR	6	5.500"	13"	3.760"	Solid
56757R	5	4.750"	10.5"	4.314"	Vented	580165R	6	5.500"	13"	3.76"	Vented
56825PL	6	5.500"	12"	2.285"	Vented	580171R	5	118 mm	10.63"	1.445"	Solid
56825PR	6	5.500"	12"	2.285"	Vented	580173R	8	6.500"	12.99"	3.37"	Solid
56825R	6	5.500"	12"	2.285"	Vented	580184PL	5	4.500"	11.655"	1.690"	Vented
56827PL	6	5.500"	12.795"	3.350"	Vented	580184PR	5	4.331"	11.655"	1.690"	Vented
56827PR	6	5.500"	12.795"	3.350"	Vented	580184R	5	110 mm	11.655"	1.69"	Vented
56827R	6	5.500"	12.795"	3.35"	Vented	580188R	5	118 mm	11.69"	2.04"	Solid
56828PL	8	6.500"	13"	3.650"	Vented	580207R	5	4.750"	10.5"	4.314"	Solid
56828PR						580216R	6	112 mm	11.03"	1.573"	Vented
56828R	8	6.500"	13"	3.65"	Vented	580243PL	5	4.331"	10.63"	1.770"	Vented
56829PL	8	6.500"	12.795"	3.510"	Vented	580243PR	5	4.331"	10.63"	1.770"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
580243R	5	110 mm	10.63"	1.77"	Solid	5976PR	5	5.000"	11.61"	4.185"	Vented
580244R	5	110 mm	10.865"	1.685"	Vented	5976R	5	5.000"	11.61"	4.185"	Vented
580259R	6	115 mm	12.715"	2.04"	Vented	5977PL	6	5.500"	11.61"	2.220"	Vented
580260R	6	115 mm	12.6"	1.89"	Vented	5977PR	6	5.500"	11.61"	2.220"	Vented
580264R	5	115 mm	12.715"	2.04"	Solid	5977R	6	5.500"	11.61"	2.22"	Vented
580279R	6	5.500"	12.99"	2.185"	Vented	5980R	8	6.500"	14.235"	3.21"	Vented
580297R	5	115 mm		1.170"	Solid	5994PL	5	4.750"	11.86"	4.630"	Vented
580298R	5	115 mm	11.695"	2.057"	Vented	5994PR	5	4.750"	11.86"	4.630"	Vented
580299R	5	115 mm	11.815"	1.37"	Solid	5994R	5	4.750"	11.86"	4.63"	Vented
5802R	5	5.000"	11.005"	2.285"	Vented	6000R	5	4.250"	10.16"	1.895"	Vented
580359R	6	5.000"	11.89"	2.14"	Solid	6001R	5	4.500"	11.315"	2.365"	Vented
580364R	5	115 mm	12.6"	1.89"	Vented	6004PL	5	4.500"	11.29"	4.215"	Vented
580366R	5	110 mm	10.942"	1.638"	Solid	6004PR	5	4.500"	11.29"	4.215"	Vented
580367R	5	110 mm	11.656"	1.705"	Vented	6004R	5	4.500"	11.29"	4.215"	Vented
580371R	6	115 mm	11.694"	2.051"	Vented	6005R	5	4.500"	10.865"	2.17"	Solid
580373R	6	115 mm	11.815"	1.37"	Solid	6006PL	5	4.500"	11.29"	4.231"	Vented
580380R	8	6.500"	12.989"	3.416	Vented	6006PR	5	4.500"	11.29"	4.231"	Vented
580382R	5	110 mm	10.864"	1.686"	Vented	6006R	5	4.500"	11.29"	4.231"	Vented
580387R	5	115 mm	12.714"	2.05"	Vented	6008R	5	4.500"	11.72"	2.31"	Vented
580401R	5	115 mm	10.945"	1.988"	Solid	6009R	5	4.500"	10.94"	3.625"	Vented
580403PL	5	4.528"	11.928"	2.045"	Vented	6012R	5	4.500"	11.72"	4.525"	Vented
580403PR	5	4.528"	11.928"	2.045"	Vented	6014R	5	4.500"	11.72"	4.525"	Vented
580403R	5	115 mm	11.928"	2.045"	Vented	6016PL	5	4.500"	11.29"	4.231"	Vented
580409R	4	4.500"	10.15"	2.252"	Solid	6016PR	5	4.500"	11.29"	4.231"	Vented
580410R	4	4.500"	10.941"	1.856"	Vented	6016R	5	4.500"	11.29"	4.231"	Vented
580422R	6	5.500"	13.573	3.347	Vented	6018R	8	6.500"	12.56"	5.332"	Vented
580437R	5	115 mm	10.5"	1.425"	Vented	6020R	8	4.750"	12.56"	3.85"	Vented
580438PL	5	5.500"	11.61"	2.602"	Vented	6022R	4	4.250"	9.3"	3.786"	Solid
580438PR	5	5.500"	11.61"	2.602"	Vented	6024R	8	6.500"	12.56"	5.332"	Vented
580438R	6	5.500"	11.61"	2.602"	Vented	6026R	5	4.500"	10.72"	4.829"	Vented
580439R	5	115 mm	10.1"	1.114"	Solid	6028R	5	4.500"	11.72"	4.807"	Vented
580442R	5	5.000"	11.61"	3.273	Vented	6030R	5	5.000"	11.72"	4.829"	Solid
580449R	5	115 mm	10.945"	1.086	Solid	6032PL	5	5.500"	11.72"	5.387"	Vented
580450R	5	115 mm	11.235"	1.484"	Vented	6032PR	5	5.500"	11.72"	5.387"	Vented
5804R	5	5.000"	11.16"	2.2"	Vented	6032R	5	5.500"	11.72"	5.387"	Vented
580503R	5	110 mm	11.024"	1.843"	Vented	6034R	8	6.500"	12.645"	5.824"	Vented
580543R	5	115 mm	11.929"	2.823"	Vented	6036R	4	4.250"	9.3"	3.91"	Vented
580547R	5	115 mm	11.651"	2.034"	Vented	6038R	5	4.500"	10.72"	4.829"	Vented
580560R	6	132 mm	12.795"	2.146"	Vented	6040R	5	5.000"	11.8"	4.829"	Vented
580569R	6	132 mm	13.031"	2.102"	Vented	6041R	5	5.000"	11.5"	2.432"	Vented
5870R	5	115 mm	10.02"	1.5"	Vented	6042R	5	4.500"	11.03"	4.154"	Vented
5925R	10	7.250"	13.745"	4.365"	Solid	6043R	5	5.000"	11.5"	2.432"	Vented
5961PL	5	4.530"	10.5"	1.305"	Vented	6044R	8	6.500"	12.56"	5.332"	Vented
5961PR	5	4.530"	10.5"	1.305"	Vented	6045R	5	4.500"	10.675"	2.73"	Vented
5961R	5	115 mm	10.5"	1.305"	Vented	6046R	8	6.500"	12.56"	5.332"	Vented
5962R	6	5.500"	11.61"	2.47"	Vented	6047R	5	4.500"	10.675"	2.73"	Vented
5963PL	5	4.530"	10.1"	.980"	Vented	6048PL	5	5.500"	11.72"	2.704"	Vented
5963PR	5	4.530"	10.1"	.980"	Vented	6048PR	5	5.500"	11.72"	2.704"	Vented
5963R	5	115 mm	10.1"	.98"	Vented	6048R	5	5.500"	11.72"	2.704"	Vented
5966R	4	100 mm	9.285"	1.62"	Solid	6050R	8	4.750"	12.56"	3.668"	Solid
5973R	6	5.500"	11.61"	4.51"	Vented	6052R	8	6.500"	12.56"	5.14"	Vented
5974R	8	6.500"	12.5"	4.955"	Vented	6054R	8	6.500"	12.56"	5.14"	Vented
5976PL	5	5.000"	11.61"	4.185"	Vented	6056R	8	5.500"	12.56"	3.308"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
6060PL	4	4.250"	10.08"	4.010"	Solid	66334R	5	4.250"	11.56"	1.83"	Vented
6060PR	4	4.250"	10.08"	4.010"	Solid	66335R	5	4.250"	10.16"	1.79"	Vented
6060R	4	4.250"	10.08"	4.01"	Solid	66402R	5	4.500"	10.865"	2.485"	Vented
6064R	4	4.250"	9.3"	3.992"	Vented	66406R	5	4.250"	10.1"	1.54"	Vented
6066R	5	4.500"	11.08"	5.205"	Solid	66416PL	5	4.500"	10.865"	2.485"	Vented
6070R	8	6.500"	12.78"	5.495"	Vented	66416PR	5	4.500"	10.865"	2.485"	Vented
6072R	5	4.500"	11.04"	4.28"	Solid	66416R	5	4.500"	10.865"	2.485"	Vented
6074R	8	6.500"	12.56"	5.62"	Vented	66438PL	5	5.500"	11.72"	2.540"	Vented
6078R	8	6.500"	12.56"	5.62"	Vented	66438PR	5	5.500"	11.72"	2.540"	Vented
6082R	4	4.250"	9.285"	2.228"	Vented	66438R	5	5.500"	11.72"	2.54"	Vented
6084R	8	6.500"	12.56"	3.225"	Vented	66439R	5	5.500"	11.72"	6.94"	Vented
6129PL	4	100 mm	9.87"	1.350"	Solid	66441R	5	5.500"	11.72"	6.94"	Vented
6129PR	4	100 mm	9.87"	1.350"	Solid	66442R	5	4.250"	10.865"	1.83"	Vented
6129R	4	100 mm	9.87"	1.35"	Vented	66443PL	5	4.500"	10.865"	1.830"	Vented
6130PL	4	100 mm	9.25"	1.770"	Solid	66443PR	5	4.500"	10.865"	1.830"	Vented
6130PR	4	100 mm	9.25"	1.770"	Solid	66443R	5	4.500"	10.865"	1.83"	Vented
6130R	4	100 mm	9.25"	1.77"	Solid	66444R	5	5.500"	11.72"	7.1"	Vented
6131PL	4	100 mm	10.1"	1.770"	Vented	66445PL	5	5.500"	11.72"	5.250"	Vented
6131PR	4	100 mm	10.1"	1.770"	Vented	66445PR	5	5.500"	11.72"	5.250"	Vented
6131R	4	100 mm	10.1"	1.77"	Vented	66445R	5	5.500"	11.72"	5.25"	Vented
6163R	8	6.500"	12.56"	5.62"	Vented	66448PL	5	4.500"	10.51"	1.975"	Vented
6226R	5	4.250"	10.16"	1.775"	Vented	66448PR	5	4.500"	.950"	.950"	Vented
6248R	5	4.500"	10.28"	2.56"	Vented	66448R	5	4.500"	10.51"	1.975"	Vented
6326PL	5	4.500"	10.28"	4.135"	Vented	66455PL	5	5.500"	11.72"	5.250"	Vented
6326PR	5	4.500"	10.28"	4.135"	Vented	66455PR	5	5.500"	11.72"	5.250"	Vented
6326R	5	4.500"	10.28"	4.135"	Vented	66455R	5	5.500"	11.72"	5.25"	Solid
6370R	5	112 mm	9.95"	1.31"	Solid	66456R	8	6.500"	12.56"	5.625"	Vented
6600R	5	4.250"	10.865"	2.005"	Solid	66457R	8	6.500"	12.56"	5.625"	Vented
66017R	4	4.250"	10.92"	3.74"	Vented	66467R	4	100 mm	9.25"	1.77"	Vented
66018R	5	4.500"	10.92"	3.74"	Vented	66468R	4	100 mm	9.24"	1.765"	Vented
66032R	5	4.500"	10.28"	4.135"	Solid	66474PL	5	4.500"	11.66"	2.010"	Vented
66074R	4	4.500"	8.75"	2.618"	Solid	66474PR	5	4.500"	11.66"	2.010"	Vented
6616R	5	4.500"	10.92"	3.74"	Vented	66474R	5	4.500"	11.66"	2.01"	Vented
66193R	5	4.500"	11.08"	5.285"	Solid	66476PL	8	6.500"	12.95"	3.100"	Vented
66202R	6	12.750"	15.62"	4.92"	Vented	66476PR	8	6.500"	12.95"	3.100"	Vented
66203R	10	11.250"	15.62"	6.36"	Vented	66476R	8	6.500"	12.95"	3.1"	Vented
66204R	5	4.250"	10.16"	1.81"	Vented	66487R	5	4.500"	10.28"	4.135"	Vented
66205PL	10	5.709"	12.9"	4.875"	Vented	66488R	5	4.500"	10.28"	4.135"	Vented
66205PR	10	5.709"	12.9"	4.875"	Vented	66489R	4	4.250"	10.23"	1.85"	Vented
66205R	10	145 mm	12.9"	4.875"	Vented	66492PL	5	4.500"	11.41"	2.600"	Solid
66210R	5	4.250"	10.1"	2"	Vented	66492PR	5	4.500"	11.41"	2.600"	Solid
66237R	5	4.500"	10.53"	2.345"	Vented	66492R	5	4.500"	11.45"	2.6"	Solid
66238PL	5	4.500"	11.415"	2.310"	Vented	66501R	10	7.250"	14.75"	3.815"	Vented
66238PR	5	4.500"	11.415"	2.310"	Vented	66527PL	8	6.500"	13.030"	5.645"	Vented
66238R	5	4.500"	11.415"	2.31"	Vented	66527PR	8	6.500"	13.030"	5.645"	Vented
66259R	8	6.500"	12.56"	5.625"	Vented	66527R	8	6.500"	13.03"	5.645"	Vented
66276PL	5	4.500"	11.08"	3.250"	Vented	66528PL	8	6.500"	13.030"	5.645"	Vented
66276PR	5	4.500"	11.08"	3.250"	Vented	66528PR	8	6.500"	13.030"	5.645"	Vented
66276R	5	4.500"	11.08"	3.25"	Vented	66528R	8	6.500"	13.03"	5.645"	Vented
66295R	8	6.500"	12.56"	6.95"	Vented	66529PL	8	6.500"	13.030"	7.900"	Vented
66296R	8	6.500"	12.56"	6.95"	Vented	66529PR	8	6.500"	13.030"	7.900"	Vented
66297R	5	5.500"	11.715"	7.11"	Vented	66529R	8	6.500"	13.03"	7.9"	Vented
66327R	5	4.500"	10.9"	2.055"	Vented	66530PL	8	6.500"	13.030"	7.900"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
66530PR	8	6.500"	13.030"	7.900"	Vented	66748R	5	4.500"	10.29"	2.564"	Vented
66530R	8	6.500"	13.03"	7.9"	Vented	66749R	5	4.250"	11.58"	1.83"	Vented
66548R	5	4.250"	11.18"	2.425"	Solid	66761R	10	163 mm	15.55"	4.87"	Solid
66557R	5	4.500"	10.28"	4.25"	Vented	66768PL	8	6.693"	13.030"	9.126"	Vented
66558R	5	4.500"	11.25"	2.27"	Vented	66768PR	8	6.693"	13.030"	9.126"	Vented
66559PL	5	4.500"	10.28"	4.250"	Vented	66768R	8	170 mm	13.03"	9.126"	Vented
66559PR	5	4.500"	10.28"	4.250"	Vented	66785R	8	170 mm	13.03"	5.65"	Vented
66559R	5	4.500"	10.28"	4.25"	Vented	66786R	8	170 mm	13.03"	5.65"	Vented
66565R	5	4.500"	11.22"	2.295"	Vented	66789R	8	6.500"	12.95"	3.11"	Solid
66576PL	5	4.500"	11.26"	2.590"	Vented	66798R	8	170 mm	14.53"	3.66"	Vented
66576PR	5	4.500"	11.26"	2.590"	Vented	66799R	8	6.500"	12.83"	3.87"	Vented
66576R	5	4.500"	11.26"	2.59"	Vented	66821R	5	135 mm	12.13"	3.82"	Vented
66584R	4	4.250"	9.96"	1.72"	Vented	66822PL	5	5.314"	12.13"	4.097"	Vented
66595PL	5	4.500"	11.215"	2.295"	Solid	66822PR	5	5.314"	12.13"	4.097"	Vented
66595PR	5	4.500"	11.215"	2.295"	Solid	66822R	5	135 mm	12.13"	4.097"	Vented
66595R	5	4.500"	11.215"	2.295"	Solid	66823R	8	170 mm	12.83"	3.87"	Vented
66597R	5	4.500"	11.28"	4.25"	Solid	66824R	8	142 mm	12.835"	4.44"	Vented
66603R	8	6.500"	13.03"	8.15"	Vented	66833R	5	4.250"	11.08"	1.83"	Vented
66630PL	5	5.315"	12.12"	2.045"	Vented	66834R	8	145 mm	12.835"	4.36"	Vented
66630PR	5	5.315"	12.12"	2.045"	Vented	66840R	5	4.250"	11.335"	1.275"	Vented
66630R	5	135 mm	12.12"	2.045"	Solid	66841R	5	4.250"	11.815"	1.685"	Vented
66647PL	5	5.315"	12.12"	1.855"	Vented	66844PL	5	4.500"	12.995"	1.715"	Vented
66647PR	5	5.315"	12.12"	1.855"	Vented	66844PR	5	4.500"	12.995"	1.715"	Vented
66647R	5	135 mm	12.12"	1.855"	Vented	66844R	5	4.500"	12.995"	1.715"	Vented
66648PL	7	5.906"	12.12"	1.855"	Vented	66885R	5	4.500"	11.25"	2.27"	Vented
66648PR	7	5.906"	12.12"	1.855"	Vented	66907R	8	6.500"	12.56"	6.976"	Vented
66648R	7	150 mm	12.12"	1.855"	Vented	66913PL	4	4.250"	10.15"	1.705"	Vented
66653PL	5	5.314"	12.13"	4.050"	Vented	66913PR	4	4.250"	10.15"	1.705"	Vented
66653PR	5	5.314"	12.13"	4.050"	Vented	66913R	4	4.250"	10.15"	1.705"	Vented
66653R	5	135 mm	12.13"	4.05"	Vented	66914PL	8	6.693"	13.030"	3.910"	Vented
66654R	7	150 mm	12.13"	4.05"	Vented	66914PR	8	6.693"	13.030"	3.910"	Vented
66670PL	5	5.315"	13.15"	2.210"	Solid	66914R	8	170 mm	13.03"	3.91"	Vented
66670PR	5	5.315"	13.15"	2.210"	Solid	66924R	8	170 mm	14.53"	3.855"	Vented
66670R	5	135 mm	13.15"	2.21"	Solid	66943R	5	135 mm	12.12"	1.85"	Vented
66671R	7	150 mm	13.135"	3.1"	Solid	66947PL	5	5.315"	13.15"	2.250"	Vented
66672R	5	4.500"	10.28"	4.25"	Solid	66947PR	5	5.315"	13.15"	2.250"	Vented
66673R	5	4.500"	10.28"	4.25"	Vented	66947R	5	135 mm	13.15"	2.25"	Vented
66675R	5	5.500"		6.16"	Vented	66984PL	5	5.314"	12.13"	4.050"	Vented
66676R	5	5.500"	11.72"	6.94"	Vented	66984PR	5	5.314"	12.13"	4.050"	Vented
66677R	5	5.500"	11.72"	6.94"	Vented	66984R	5	135 mm	12.13"	4.05"	Vented
66688R	7	150 mm	12.13"	4.05"	Vented	66997PL	5	5.314"	12.13"	4.097"	Vented
66695PL	8	5.709"	12.9"	4.875"	Vented	66997PR	5	5.314"	12.13"	4.097"	Vented
66695PR	8	5.709"	12.9"	4.875"	Vented	66997R	5	135 mm	12.13"	4.097"	Vented
66695R	8	145 mm	12.9"	4.875"	Vented	680014R	5	4.500"	12.02"	2.21"	Vented
66741R	5	112 mm	10.23"	2.09"	Vented	680021R	5	4.500"	12"	4.25"	Vented
66744PL	5	4.500"	12.44"	2.590"	Vented	680025R	5	4.500"	10.945"	1.845"	Solid
66744PR	5	4.500"	12.44"	2.590"	Vented	680026R	5	4.500"	11.85"	2.3"	Vented
66744R	5	4.500"	12.44"	2.59"	Solid	680027R	5	4.500"	12.01"	2.6"	Solid
66745R	4	4.250"	10.945"	1.85"	Vented	680035PL	4	4.250"	9.95"	1.300"	Solid
66746PL	8	6.693"	13.030"	3.720"	Vented	680035PR	4	4.250"	9.95"	1.300"	Solid
66746PR	8	6.693"	13.030"	3.720"	Vented	680035R	4	4.250"	9.95"	1.3"	Vented
66746R	8	170 mm	13.03"	3.72"	Vented	680093R	5	4.500"	11.28"	4.25"	Vented
66747R	5	4.500"	10.29"	2.565"	Vented	680105PL	6	5.315"	12.99"	1.885"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
680105PR	6		12.99"	1.885"	Vented	680394R	8	170 mm	13.389"	4.966	Vented
680105R	6	135 mm	12.99"	1.885"	Vented	680545R	5	4.500"	11.642"	1.903"	Vented
680106PL	6		13.465"	2.025"	Vented	680546R	5	4.500"	11.882"	2.224"	Vented
680106PR	6	5.315"	13.465"	2.025"	Vented	6865PL	5	4.500"	10.28"	4.135"	Vented
680106R	6	135 mm	13.465"	2.025"	Vented	6865PR	5	4.500"	10.28"	4.135"	Vented
680107R	10	4.500"	11.615"	2.42"	Vented	6865R	5	4.500"	10.28"	4.135"	Vented
680108R	5	4.500"	13.15"	2.25"	Vented	6886R	5	4.250"	10.16"	1.925"	Solid
680110PL	5	4.500"	12.015"	1.770"	Vented	6892R	4	4.250"	10.16"	2.32"	Vented
680110PR	5	4.500"	12.015"	1.770"	Vented	6932R	5	5.500"	11.72"	2.975"	Vented
680110R	5	4.500"	12.015"	1.77"	Vented	6972R	5	4.500"	10.385"	1.825"	Vented
680129PL	5	4.500"	11.615"	2.290"	Vented	6978R	8	6.500"	12.56"	3.204"	Vented
680129PR	5	4.500"	11.615"	2.290"	Vented	6984PL	4	4.250"	10.94"	3.735"	Solid
680129R	5	4.500"	11.615"	2.29"	Vented	6984PR	4	4.250"	10.94"	3.735"	Solid
680130R	4	4.250"	11.82"	1.745"	Vented	6984R	4	4.250"	10.94"	3.735"	Vented
680146R	4	4.250"	11.025"	1.295"	Vented	6995PL	5	4.750"	11.665"	1.970"	Vented
680147R	5	4.500"	11.83"	2.3"	Solid	6995PR	5	4.750"	11.665"	1.970"	Vented
680166R	5	4.500"	13"	2.29"	Vented	6995R	5	4.750"	11.665"	1.97"	Vented
680167R	5	4.500"	12.71"	2.3"	Vented	7003R	4	100 mm	9.13"	1.504"	Solid
680178PL	6	5.315"	12.99"	3.625"	Vented	7005R	4	100 mm	10.26"	1.505"	Solid
680178PR	6	5.315"	12.99"	3.625"	Vented	7006R	4	100 mm	9.415"	1.506"	Vented
680178R	6	135 mm	12.99"	3.625"	Vented	7007R	4	100 mm	10.26"	1.506"	Vented
680179PL	7	5.906"	12.99"	3.625"	Vented	7007R	4	100 mm	10.26"	1.506"	Vented
680179PR	7	5.906"	12.99"	3.625"	Vented	7008R	5	4.500"	10.97"	4.842"	Vented
680180PL	6	5.315"	12.99"	1.885"	Vented	7009PL	5	5.500"	11.75"	4.985"	Vented
680180PR	6	5.315"	12.99"	1.885"	Vented	7009PR	5	5.500"	11.75"	4.985"	Vented
680180R	6	135 mm	12.99"	1.885"	Vented	7009R	5	5.500"	11.75"	4.985"	Vented
680181PL	7	5.906"	12.99"	1.885"	Vented	7011R	5	100 mm	10.26"	1.506"	Vented
680181PR	7	5.906"	12.99"	1.885"	Vented	7012R	5	4.500"	11.75"	4.973"	Vented
680181R	7	150 mm	12.99"	1.885"	Vented	7013R	5	100 mm	9.415"	1.506"	Vented
680182PL	6	5.315"	13.7"	3.390"	Vented	7018R	5	4.500"	11.75"	4.984"	Vented
680182PR	6	5.315"	13.7"	3.390"	Vented	7022PL	8	6.500"	12.82"	2.966"	Vented
680182R	6	135 mm	13.7"	3.39"	Vented	7022PR	8	6.500"	12.82"	2.966"	Vented
680183PL	7	5.906"	13.7"	3.390"	Vented	7022R	8	6.500"	12.82"	2.966"	Vented
680183PR	7	5.906"	13.7"	3.390"	Vented	7023R	8	6.500"	12.82"	2.966"	Vented
680183R	7	150 mm	13.7"	3.39"	Vented	7024R	8	6.500"	12.82"	5.708"	Vented
680189R	5	4.500"	12.44"	1.525"	Vented	7032R	5	4.500"	10.97"	4.856"	Vented
680215R	8	170 mm	13.03"	5.65"	Solid	7034R	5	4.500"	11.75"	4.984"	Vented
680219R	8	170 mm	13.03"	8.946"	Vented	7036R	5	4.500"	11.75"	2.635"	Vented
680271R	5	4.500"	11.885"	2.2"	Vented	7038R	5	4.500"	11.75"	4.856"	Vented
680272R	5	4.500"	11.925"	1.845"	Vented	7040R	8	6.500"	12.82"	5.745"	Solid
680280R	8	170 mm	13.66"	3.935"	Vented	7048R	4	100 mm	9.415"	1.506"	Solid
680281R	5	4.500"	13"	1.515"	Solid	7050R	5	5.500"	11.64"	2.595"	Solid
680282R	5	4.500"	12.413"	1.849"	Vented	7053R	5	4.500"	10.475"	1.79"	Vented
680305R	10	170 mm	14.53"	3.875"	Vented	7054R	8	6.500"	12.875"	2.78"	Vented
680313R	5	4.500"	11.535"	1.89"	Vented	7062R	4	100 mm	10.26"	1.505"	Vented
680318R	5	4.500"	11.81"	1.370"	Vented	7063R	5	100 mm	10.26"	1.505"	Vented
680319R	4	4.250"	10.94"	1.765"	Vented	7142R	5	4.500"	11.02"	3.095"	Vented
680320R	5	5.500"	12.83"	4.91"	Vented	7175R	4	104 mm	9.21"	1.325"	Solid
680326R	5	4.500"	12.44"	1.89"	Vented	76002R	5	100 mm	10.635"	2.03"	Solid
680339R	8	170 mm	13.66"	3.935"	vented	76003R	5	100 mm	10.09"	1.375"	Solid
680344R	8	156 mm	13.38"	4.925"	Vented	76025R	8	6.500"	12.82"	2.99"	Solid
680363R	5	5.500"	13.03"	2.975"	Vented	76078R	6	4.250"	10.16"	1.79"	Vented
680374R	10	163 mm	15.354"	4.89"	Vented	76138R	5	4.250"	10.44"	1.45"	Vented
						76161R	5	4.500"	11.1"	1.505"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
76194R	6	4.500"	11.29"	2.52"	Vented	76735R	5	4.500"	10.555"	1.815"	Vented
76247R	6	4.500"	11.315"	4.38"	Solid	76777PL	5	4.500"	11.7"	2.120"	Vented
76283R	8	6.500"	12.812"	3.265"	Vented	76777PR	5	4.500"	11.7"	2.120"	Vented
76285R	5	5.500"	11.635"	7.26"	Vented	76777R	5	4.500"	11.7"	2.12"	Solid
76289R	8	6.500"	12.812"	4.2"	Vented	76787R	5	5.500"	11.75"	4.985"	Vented
76291R	5	5.000"	11.75"	4.53"	Vented	76793PL	5	5.000"	12"	2.500"	Solid
76293R	5	5.000"	11.75"	4.53"	Vented	76793PR	5	5.000"	12"	2.500"	Solid
76298R	5	4.500"	11.75"	3.31"	Vented	76793R	5	5.000"	12"	2.5"	Solid
76316R	5	4.500"	10.635"	1.895"	Vented	76794PL	5	5.000"	12"	2.960"	Vented
76323R	5	4.500"	11.1"	2.055"	Vented	76794PR	5	5.000"	12"	2.960"	Vented
76398PL	5	5.500"	11.75"	4.985"	Vented	76794R	5	5.000"	12"	2.96"	Vented
76398PR	5	5.500"	11.75"	4.985"	Vented	76808R	8	6.500"	12.82"	4.58"	Vented
76398R	5	5.500"	11.75"	4.985"	Vented	76831R	5	4.500"	11.1"	2.047"	Vented
76399PL	8	6.500"	12.82"	5.745"	Vented	76912R	5	100 mm	10.115"	1.5"	Vented
76399PR	8	6.500"	12.82"	5.745"	Vented	76917R	5	5.500"	12.11"	2.885"	Vented
76399R	8	6.500"	12.82"	5.745"	Vented	76918R	5	5.500"	11.97"	2.74"	Vented
76409R	6	4.500"	11.315"	4.38"	Solid	76920PL	8	6.500"	12.85"	4.010"	Vented
76446R	5	5.500"	11.61"	4.51"	Vented	76920PR	8	6.500"	12.85"	4.010"	Vented
76447R	5	5.500"	11.61"	2.575"	Vented	76920R	8	6.500"	12.85"	4.01"	Vented
76449R	4	100 mm	9.43"	1.495"	Solid	76921R	5	4.500"	10.87"	1.79"	Vented
76451R	5	4.500"	11.22"	2.33"	Vented	76923R	5	4.500"	11.03"	3.06"	Vented
76452PL	8	6.500"	12.5"	5.190"	Vented	76955R	5	100 mm	11.025"	1.54"	Vented
76452PR	8	6.500"	12.5"	5.190"	Vented	780020R	8	6.500"	12.73"	5.15"	Vented
76452R	8	6.500"	12.5"	5.19"	Solid	780036R	5	4.500"	11.345"	2.545"	Solid
76465R	8	6.500"	12.5"	7.855"	Vented	780037R	5	4.500"	11.065"	1.49"	Vented
76466PL	5	3.937"	10.12"	1.500"	Vented	780049R	5	4.500"	11.06"	1.49"	Vented
76466PR	5	3.937"	10.12"	1.500"	Vented	780073PL	5	5.500"	13.23"	2.655"	Vented
76466R	5	100 mm	10.12"	1.5"	Vented	780073PR	5	5.500"	13.23"	2.655"	Vented
76504R	5	100 mm	11.12"	1.265"	Solid	780073R	5	5.500"	13.23"	2.655"	Vented
76505R	5	100 mm	10.235"	1.265"	Vented	780082PL	5	5.500"	13.89"	2.835"	Vented
76547R	5	100 mm	10.63"	2.095"	Solid	780082PR	5	5.500"	13.89"	2.835"	Vented
76551PL	5	3.937"	10.63"	2.090"	Solid	780082R	5	5.500"	13.86"	2.835"	Vented
76551PR	5	3.937"	10.63"	2.090"	Solid	780133R	6	4.500"	12.125"	2.405"	Solid
76551R	5	100 mm	10.63"	2.09"	Vented	780134R	5	4.500"	11.22"	2.275"	Vented
76561R	5	100 mm	10.09"	1.5"	Vented	780135PL	5	100 mm	10.63"	2.090"	Solid
76569R	5	4.500"	11.18"	2.37"	Solid	780135PR	5	100 mm	10.63"	2.090"	Solid
76599R	8	6.500"	12.5"	7.855"	Vented	780135R	5	100 mm	10.63"	2.09"	Solid
76627PL	5	4.500"	10.32"	2.370"	Solid	780136PL	5	100 mm	11.025"	1.550"	Vented
76627PR	5	4.500"	10.32"	2.370"	Solid	780136PR	5	100 mm	11.025"	1.550"	Vented
76627R	5	4.500"	10.32"	2.37"	Vented	780136R	5	100 mm	11.025"	1.55"	Solid
76645PL	6	4.500"	11.3"	2.520"	Vented	780139R	8	6.500"	13.855"	5.15"	Solid
76645PR	6	4.500"	11.3"	2.520"	Vented	780142R	6	4.500"	12.465"	2.799"	Vented
76645R	6	4.500"	11.3"	2.52"	Vented	780143R	8	6.500"	13.89"	4.01"	Vented
76646R	5	4.500"	11.1"	1.5"	Vented	780144R	6	4.500"	12.28"	3.205"	Vented
76650R	5	4.500"	11.415"	2.21"	Solid	780145R	6	4.500"	12.125"	2.475"	Solid
76665R	4	4.500"	9.72"	1.89"	Vented	780152R	5	5.000"	12.28"	2.21"	Solid
76683R	5	100 mm	11.11"	1.265"	Vented	780175R	5	5.000"	12.52"	1.85"	Solid
76721R	5	4.500"	11.1"	2.12"	Vented	780196R	6	145 mm	11.23"	3.655"	Vented
76722PL	5	4.500"	11.7"	2.120"	Vented	780223R	5	5.500"	12.468"	2.801"	Vented
76722PR	5	4.500"	11.7"	2.120"	Vented	780255R	5	115 mm	12.6"	2.15"	Vented
76722R	5	4.500"	11.7"	2.12"	Vented	780256PL	5	115 mm	13.59"	2.150"	Vented
76735PL	5	4.500"	10.555"	1.815"	Vented	780256PR	5	115 mm	13.59"	2.150"	Vented
76735PR	5	4.500"	10.555"	1.815"	Vented	780256R	5	115 mm	13.59"	2.15"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
780258R	5	5.500"	12.28"	2.595"	Vented	9022R	4	92 mm	9.37"	2.184"	Solid
780289R	5	5.000"	12.915	2.085	Vented	9023R	4	100 mm	9.4"	2.835"	Vented
780296R	5	5.000"	12.595"	2.615"	Solid	9032R	4	92.5 mm	9.62"	1.052"	Vented
780346R	5	130 mm	11.21	2.836"	Vented	9043R	5	5.315"			Solid
780395R	5	115 mm	13.778"	2.642"	Vented	9049R	4	100 mm	8.94"	1.65"	Vented
780444PL	5	4.500"	11.2"	3.192"	Vented	9054R	4	4.500"	10.8"	1.99"	Solid
780444PR	5	4.500"	11.2"	3.192"	Vented	9060R	6	99 mm	8.976"	1.516"	Solid
780444R	5	4.500"	11.02"	3.192	Vented	9064R	4	103 mm	10.67"	2.02"	Solid
780458R	5	4.500"	10.861"	1.796"	Vented	9070R	4	100 mm	8.89"	1.675"	Vented
780518R	5	5.000"	11.89"	2.169"	Vented	9074R	4	90 mm	9.13"	1.575"	Solid
780519R	5	5.000"	12.441"	3.01"	Solid	9082R	4	130 mm	11.055"	3.64"	Solid
780540R	5	4.500"	11.896"	2.524"	Vented	9094R	4	86 mm	9.005"	1.18"	Solid
780542R	5	4.500"		3.008"	Solid	9165R	4	4.500"	10"	2.845"	Solid
780614R	6	130 mm	11.799"	2.697"	Vented	9166R	5	4.500"	10.86"	2.56"	Solid
7864R	8	6.500"	12.82"	3.26"	Vented	9172R	4	104 mm	9.3"	1.335"	Vented
7896R	4	104 mm	9.565"	1.33"	Vented	9173R	4	100 mm	9.37"	1.82"	Vented
7926R	6	4.250"	10.915"	1.775"	Vented	9176R	4	104 mm	10.08"	1.335"	Solid
7927R	6	104 mm	10.16"	1.32"	Vented	9177PL	5	4.500"	11.08"	1.850"	Vented
7928R	5	4.500"	11.1"	1.51"	Vented	9177PR	5	4.500"	11.08"	1.850"	Vented
7929R	5	4.500"	11.315"	2.495"	Vented	9177R	5	4.500"	11.08"	1.85"	Vented
7930R	5	100 mm	10.82"	1.355"	Vented	9203R	4	95 mm	9.83"	.865"	Vented
7956R	6	4.250"	10.04"	1.775"	Vented	9204R	6	103 mm	10.675"	1.71"	Vented
7958R	5	4.500"	10.7"	4.445"	Vented	9205R	6	133 mm	10.675"	2.205"	Solid
7979R	8	6.500"	12.875"	2.78"	Vented	9206R	4	4.500"	10.15"	1.865"	Solid
7987R	5	4.500"	11.385"	4.365"	Vented	9207R	4	100 mm	9.755"	1.1"	Vented
7992R	5	100 mm	11.1"	1.505"	Vented	9208R	5	112 mm	10.94"	2.61"	Vented
7993R	5	100 mm	11.25"	2.03"	Vented	9212R	4	95 mm	9.13"	1.4"	Solid
8004PL	5	5.000"	11.63"	4.550"	Solid	9213R	6	5.500"	11.885"	1.89"	Vented
8004PR	5	5.000"	11.63"	4.550"	Solid	9214R	4	116 mm	8.89"	1.739"	Solid
8004R	5	5.000"	11.63"	4.55"	Vented	9215R	6	104 mm	10.03"	1.31"	Solid
8005R	8	6.500"	12.5"	8.2"	Vented	9217R	4	103 mm	9.13"	1.24"	Solid
8204R	4	4.500"	10.475"	1.79"	Vented	9221R	4	100 mm	10.16"	1.026"	Solid
8510R	10	7.250"	15.37"	3.4"	Solid	9223R	4	95 mm	9.995"	1.88"	Vented
8512R	5	6.750"	14.75"	3.8"	Vented	9224R	4	100 mm	10"	1.01"	Solid
8514R	6	7.250"	14.75"	3.8"	Vented	9225R	4	4.500"	10.565"	2.705"	Solid
8517R	6	8.750"	15.39"	6.03"	Vented	9227R	4	100 mm	9.1"	1.945"	Solid
8523R	6	6.750"	15"	3.505"	Vented	9228PL	4	100 mm	9.415"	1.383"	Solid
8533R	10	7.250"	14.75"	3.81"	Vented	9228PR	4	100 mm	9.415"	1.383"	Solid
8534R	6	6.750"	14.75"	3.8"	Vented	9228R	4	100 mm	9.415"	1.383"	Solid
8960R	8	6.500"	12.82"	5.745"	Vented	9229R	4	100 mm	9.09"	1.929"	Vented
8964R	5	4.250"	10.44"	1.33"	Solid	9234R	4	103 mm	10.675"	1.704"	Vented
9000R	4	130 mm	10.94"	3.214"	Vented	9236R	6	102 mm	9.835"	1.315"	Vented
9003R	4	87 mm	9.015"	.91"	Solid	9238R	6	102 mm	10.2"	1.475"	Vented
9005R	4	100 mm	8.465"	1.969"	Solid	9239R	4	90 mm	9.03"	2.04"	Solid
9006R	4	98 mm	8.94"	1.807"	Solid	9240R	4	4.250"	8.7"	1.658"	Vented
9007R	4	96 mm	8.89"	1.174"	Solid	9242R	4	100 mm	10.039"	1.083"	Vented
9009R	4	94 mm	8.94"	1.21"	Solid	9244R	4	84 mm	8.58"	1.18"	Solid
9010R	4	87 mm	9.03"	.694"	Solid	9246R	5	104 mm	10.475"	1.65"	Vented
9011R	4	98 mm	9.6"	2.092"	Solid	9247R	4	4.250"	9.645"	2.34"	Solid
9013R	4	110 mm	9.015"	3.76"	Vented	9248R	4	100 mm	10.475"	1.65"	Solid
9016R	4	81 mm	8.26"	2.35"	Solid	9250R	4	95 mm	9.64"	1.4"	Solid
9017R	4	110 mm	9.1"	3.765"	Solid	9252R	4	95 mm	10.62"	1.88"	Solid
9020R	4	95.64 mm	10.75"	1.755"	Vented	9254R	4	97 mm	9.995"	.63"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
9256R	4	96 mm	9.4"	1.53"	Solid	96061PL	5	100 mm	10.24"	2.230"	Vented
9258R	4	116 mm	9.1"	1.615"	Vented	96061PR	5	100 mm	10.24"	2.230"	Vented
9260R	4	102 mm	10.08"	1.41"	Solid	96061R	5	100 mm	10.24"	2.23"	Vented
9262R	4	110 mm	8.155"	3.76"	Vented	96063PL	4	4.500"	10.1"	1.935"	Vented
9263R	4	100 mm	9.76"	1.11"	Vented	96063PR	4	4.500"	10.1"	1.935"	Vented
9272R	4	116 mm	9.12"	1.438"	Vented	96063R	4	4.500"	10.1"	1.935"	Vented
9276R	4	103 mm	9.92"	1.145"	Solid	96065R	5	4.500"	11.015"	1.935"	Vented
9278R	4	84 mm	8.9"	1.22"	Solid	96066PL	4	4.500"	10.16"	1.765"	Vented
9281R	4	100 mm	9.1"	1.945"	Solid	96066PR	4	4.500"	10.16"	1.765"	Vented
9290R	4	103 mm	9.835"	1.4"	Solid	96066R	4	4.500"	10.16"	1.765"	Solid
9296R	4	87 mm	9.215"	1.5"	Vented	96068R	4	100 mm	9.4"	1.895"	Solid
9298R	4	94 mm	10.035"	1.715"	Vented	96069R	5	4.500"	10.15"	1.775"	Solid
9299R	4	100 mm	9.565"	1.855"	Vented	96071R	4	4.500"	9.9"	1.945"	Solid
9300R	4	4.500"	11.415"	1.85"	Vented	96072R	4	100 mm	10.475"	2.34"	Vented
96001R	5	4.500"	10.2"	2.88"	Vented	96073R	6	5.500"	10.455"	1.87"	Vented
96007R	6	109 mm	10.125"	1.42"	Vented	96075R	4	4.500"	10.2"	2.09"	Solid
96008R	5	5.500"	11.415"	1.82"	Vented	96076R	4	94 mm	9.72"	1.18"	Solid
96009R	4	88 mm	9.84"	1.26"	Solid	96077R	5	4.500"	11.02"	2.11"	Solid
96010R	5	4.500"	11.1"	2.26"	Vented	96079R	5	104 mm	10.16"	1.315"	Vented
96011R	6	103 mm	10.24"	1.46"	Vented	96080PL	5	4.500"	10.43"	1.940"	Vented
96012R	6	5.500"	11.885"	1.89"	Vented	96080PR	5	4.500"	10.43"	1.940"	Vented
96013R	6	4.250"	10.08"	.785"	Solid	96080R	5	4.500"	10.43"	1.94"	Vented
96014R	4	94 mm	9.835"	1.36"	Vented	96084R	4	100 mm	9.21"	1.85"	Solid
96015R	4	94 mm	9.36"	1.215"	Vented	96085R	4	100 mm	9.23"	1.855"	Solid
96020R	4	100 mm	9.37"	1.88"	Vented	96087PL	4	100 mm	10.315"	1.765"	Vented
96021R	4	100 mm	10.295"	2.01"	Vented	96087PR	4	100 mm	10.315"	1.765"	Vented
96023R	4	104 mm	9.005"	1.555"	Vented	96087R	4	100 mm	10.315"	1.765"	Vented
96026R	4	110 mm	8.94"	3.555"	Vented	96088R	4	100 mm	9.515"	1.735"	Vented
96027R	5	110 mm	10.1"	1.83"	Vented	96090R	4	4.500"	8.75"	2.615"	Vented
96028R	4	4.250"	10.24"	2.29"	Vented	96091R	6	116 mm	10.7"	.97"	Solid
96029PL	4	4.500"	10.215"	1.690"	Vented	96092R	4	4.500"	10.16"	2.875"	Solid
96029PR	4	4.500"	10.215"	1.690"	Vented	96093R	6	5.500"	11.25"	2.75"	Solid
96029R	4	4.500"	10.215"	1.69"	Solid	96094R	5	103 mm	10.785"	1.4"	Vented
96030R	4	4.500"	11.09"	2.01"	Solid	96095R	5	4.500"	10.24"	2.25"	Vented
96031R	4	4.250"	9.636"	1.567"	Vented	96096R	5	4.500"	11.01"	2.255"	Vented
96034R	6	102 mm	9.89"	1.31"	Vented	96097R	5	4.500"	11.02"	2.11"	Vented
96035R	4	100 mm	9.43"	1.58"	Vented	96098R	5	4.500"	11.68"	2.52"	Vented
96036R	4	100 mm	10.16"	1.865"	Solid	96099R	4	4.500"	10.1"	1.8"	Vented
96037R	4	100 mm	9.56"	1.848"	Vented	96100R	5	4.250"	10.35"	2.525"	Vented
96038R	4	100 mm	9.515"	1.445"	Vented	96102R	5	4.500"	10.04"	2.84"	Solid
96039R	5	110 mm	9.765"	1.815"	Solid	96105R	4	94 mm	10.2"	1.215"	Vented
96040R	5	4.500"	11.465"	2.685"	Vented	96106R	5	4.500"	10.74"	2.09"	Vented
96041R	5	4.500"	11.885"	2.11"	Vented	96107R	5	4.500"	10.46"	2.23"	Vented
96042R	4	100 mm	10.7"	1.577"	Vented	96109R	5	4.500"	10.065"	2.435"	Solid
96043R	5	100 mm	10.04"	1.885"	Vented	96110R	4	4.500"	10.07"	1.79"	Vented
96047R	5	104 mm	9.92"	1.024"	Vented	96111R	4	4.500"	10.215"	1.34"	Vented
96048R	4	4.500"	10.26"	2.395"	Vented	96113R	5	4.500"	10.98"	2.68"	Vented
96049R	6	5.000"	11.385"	2.53"	Vented	96114R	5	100 mm	10.04"	1.825"	Vented
96050R	5	4.250"	11.295"	2.21"	Vented	96115R	5	100 mm	10.588"	2.348"	Vented
96052R	5	4.500"	10.5"	1.84"	Vented	96116R	5	100 mm	10.04"	1.885"	Solid
96058R	5	100 mm	10.07"	2.07"	Vented	96117R	5	4.500"	10.7"	2.77"	Vented
96059R	5	100 mm	10.07"	2.35"	Solid	96118R	6	110 mm	10.12"	1.835"	Vented
96060R	5	100 mm	10.3"	1.93"	Solid	96119R	4	94 mm	8.36"	1.44"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96120R	4	94 mm	9.45"	1.44"	Vented	96219R	5	4.500"	10.03"	1.94"	Vented
96121PL	5	3.930"	10.47"	2.660"	Vented	96220R	4	4.500"	10.86"	1.772"	Vented
96121PR	5	3.930"	10.47"	2.660"	Vented	96221R	4	4.500"	10.08"	1.785"	Vented
96121R	5	100 mm	10.47"	2.66"	Vented	96222R	5	4.500"	10.47"	2.17"	Vented
96122R	4	100 mm	11.02"	1.54"	Solid	96223R	5	112 mm	11.8"	1.79"	Vented
96133R	4	4.500"	10.16"	1.775"	Vented	96224R	5	112 mm	11.82"	2.69"	Vented
96144R	4	100 mm	9.765"	1.785"	Solid	96229R	12	136 mm	11.1"	2.465"	Vented
96145R	5	118 mm	10.91"	1.16"	Vented	96230R	5	112 mm	10.94"	2.3"	Vented
96147PL	4	100 mm	9.44"	1.750"	Solid	96231R	5	112 mm	11.18"	1.8"	Solid
96147PR	4	100 mm	9.44"	1.750"	Solid	96233R	4	100 mm	10.15"	2.94"	Vented
96147R	4	100 mm	9.44"	1.75"	Vented	96234R	5	120 mm	11.8"	2.675"	Solid
96150R	5	120 mm	11.89"	2.99"	Vented	96235R	5	120 mm	11.02"	1.58"	Solid
96153PL	5	4.500"	10.865"	1.785"	Vented	96243R	5	100 mm	10.44"	2.655"	Vented
96153PR	5	4.500"	10.865"	1.785"	Vented	96244R	5	4.250"	11.02"	2.22"	Vented
96153R	5	4.500"	10.865"	1.785"	Vented	96245R	5	4.250"	11.005"	2.215"	Solid
96154PL	4	100 mm	9.2"	1.560"	Vented	96249R	5	4.500"	11.5"	2.52"	Vented
96154PR	4	100 mm	9.2"	1.560"	Vented	96251R	4	4.500"	10.78"	1.875"	Solid
96154R	4	100 mm	9.2"	1.56"	Solid	96252R	4	4.500"	10.47"	2.735"	Vented
96155R	4	100 mm	10.16"	1.755"	Solid	96253R	5	4.500"	11.005"	2.11"	Solid
96156R	4	100 mm	9.835"	1.78"	Solid	96256R	4	4.500"	9.45"	1.37"	Solid
96158R	4	4.500"	11.09"	1.36"	Vented	96257R	5	5.500"	11.3"	1.815"	Solid
96159R	5	4.500"	11.66"	1.78"	Vented	96260R	5	120 mm	11.1"	2.565"	Vented
96160R	5	4.500"	10.47"	2.58"	Vented	96262R	4	100 mm	8.42"	1.705"	Solid
96162PL	5	4.500"	10.08"	1.790"	Vented	96264R	4	4.500"	10.295"	2.005"	Vented
96162PR	5	4.500"	10.08"	1.790"	Vented	96265PL	4	4.500"	10.23"	1.860"	Vented
96162R	5	4.500"	10.08"	1.79"	Vented	96265PR	4	4.500"	10.23"	1.860"	Vented
96164R	4	4.500"	9.835"	2.575"	Vented	96265R	4	4.500"	10.23"	1.86"	Vented
96167R	4	4.500"	10.27"	2.1"	Vented	96268R	4	4.250"	11"	1.725"	Vented
96174R	5	4.500"	10.02"	2.075"	Vented	96269R	4	4.250"	11.02"	1.715"	Vented
96178R	5	4.500"	11.1"	2.4"	Vented	96274R	5	130 mm	11.37"	2.8"	Vented
96179R	4	100 mm	10.09"	1.86"	Solid	96277R	5	4.500"	10.78"	1.87"	Vented
96180R	5	4.500"	10.15"	1.865"	Solid	96278R	5	4.500"	10.07"	2.595"	Vented
96181R	5	4.500"	10.34"	1.825"	Vented	96279R	5	4.500"	11.24"	2.225"	Vented
96182R	6	110 mm	10.31"	2.365"	Vented	96280R	4	100 mm	10.125"	1.785"	Vented
96183R	5	110 mm	10"	1.81"	Vented	96282R	4	4.500"	10.475"	2.375"	Vented
96184R	5	4.500"	10.99"	2.07"	Vented	96301R	5	112 mm	10.31"	1.79"	Vented
96186R	4	4.500"	9.85"	1.84"	Vented	96302R	5	4.500"	10.04"	2.85"	Solid
96187R	4	100 mm	10.04"	1.64"	Vented	96303R	5	112 mm	10.16"	2.19"	Vented
96188R	5	100 mm	10.04"	1.815"	Vented	96304R	5	112 mm	10.74"	2.485"	Solid
96190R	5	100 mm	11.34"	2.34"	Vented	96305R	5	112 mm	10.31"	1.75"	Solid
96191R	5	100 mm	10.9"	1.89"	Solid	96306R	5	112 mm	11.17"	1.71"	Vented
96192R	4	100 mm	10.35"	1.58"	Vented	96307R	5	112 mm	11.18"	1.83"	Vented
96195R	5	100 mm	10.89"	1.82"	Vented	96308R	5	120 mm	11.18"	2.4"	Solid
96196R	6	5.500"	11.25"	2.29"	Vented	96309R	4	100 mm	10.42"	1.25"	Solid
96206R	4	4.500"	10.23"	2.51"	Vented	96310R	5	112 mm	11.25"	2.36"	Vented
96208R	5	4.500"	10.15"	1.755"	Solid	96314R	4	100 mm	9.075"	1.695"	Vented
96209R	4	100 mm	9.37"	1.685"	Solid	96317R	5	4.500"	11.48"	2.505"	Solid
96211R	4	100 mm	10"	1.69"	Vented	96318R	5	4.500"	10.16"	1.91"	Vented
96213R	4	100 mm	9.24"	1.765"	Vented	96319R	5	4.500"	10.27"	1.575"	Vented
96214R	4	100 mm	9.085"	1.355"	Vented	96321R	5	4.500"	10.86"	2.515"	Vented
96216R	5	4.500"	10.6"	2.55"	Solid	96322R	5	4.500"	11.56"	2.64"	Vented
96217R	5	4.500"	10.82"	1.943"	Solid	96329R	5	120 mm	11.88"	2.99"	Vented
96218R	5	4.500"	10.67"	2.07"	Vented	96330R	4	104 mm	10.12"	1.33"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96336R	6	109 mm	11.02"	1.42"	Vented	96394R	5	130 mm	11.41"	3.27"	Vented
96339R	6	5.500"	12.33"	3.16"	Vented	96395R	5	130 mm	11.12"	2.92"	Vented
96340R	5	4.500"	10.82"	1.99"	Vented	96408PL	4	4.500"	10.16"	1.755"	Vented
96341R	5	4.500"	11.65"	2"	Vented	96408PR	4	4.500"	10.16"	1.755"	Vented
96342R	4	100 mm	9.4"	1.52"	Vented	96408R	4	4.500"	10.16"	1.755"	Vented
96343R	6	5.000"	11.45"	2.59"	Solid	96413R	5	4.250"	10.43"	2.095"	Vented
96344R	5	112 mm	10.15"	2.245"	Vented	96414R	4	4.250"	11.62"	2.85"	Solid
96346R	5	100 mm	11.02"	1.117"	Vented	96415R	4	4.250"	11"	1.985"	Solid
96347R	5	120 mm	12.75"	2.405"	Vented	96419PL	5	3.937"	9.56"	2.085"	Vented
96349PL	5	4.500"	11.41"	2.655"	Solid	96419PR	5	3.937"	9.55"	2.085"	Vented
96349PR	5	4.500"	11.41"	2.655"	Solid	96419R	5	100 mm	9.55"	2.085"	Vented
96349R	5	4.500"	11.41"	2.655"	Solid	96421R	5	112 mm	11.325"	1.82"	Vented
96350PL	5	4.500"	11.88"	2.240"	Vented	96422R	4	4.250"	9.64"	1.82"	Vented
96350PR	5	4.500"	11.88"	2.240"	Vented	96423R	5	112 mm	9.63"	2.525"	Solid
96350R	5	4.500"	11.88"	2.24"	Solid	96425R	5	112 mm	9.64"	1.82"	Solid
96354R	4	100 mm	10.04"	1.895"	Vented	96426R	4	4.250"	9.64"	2.57"	Solid
96355R	6	119 mm	11.02"	1.785"	Vented	96427R	5	112 mm	10.86"	1.82"	Solid
96356R	5	4.500"	10.82"	1.88"	Vented	96428R	4	4.250"	10.86"	2.213"	Vented
96357R	6	119 mm	11.17"	2.02"	Vented	96429R	5	112 mm	10.585"	1.812"	Vented
96358R	5	4.500"	10.825"	2.01"	Vented	96430PL	5	3.937"	8.9"	2.820"	Vented
96359R	5	4.500"	11.45"	2.65"	Vented	96430PR	5	3.937"	8.9"	2.820"	Vented
96360R	5	4.500"	12.08"	2.645"	Vented	96430R	5	100 mm	8.9"	2.82"	Vented
96362R	6	5.500"	13.19"	4.039"	Vented	96431R	5	130 mm	11.969"	3.031"	Vented
96363PL	4	4.500"	11.015"	1.935"	Vented	96432R	5	130 mm	11.732"	3.15"	Vented
96363PR	4	4.500"	11.015"	1.935"	Vented	96433R	5	130 mm	11.969"	3.031"	Vented
96363R	4	4.500"	11.015"	1.935"	Vented	96460R	5	4.250"	10.32"	2.2"	Vented
96364R	5	4.500"	11.1"	1.855"	Vented	96464R	4	100 mm	10.03"	1.775"	Vented
96365R	4	4.500"	11.22"	2.01"	Vented	96469R	10	4.500"	11.65"	2"	Vented
96366R	5	112 mm	11.02"	2.55"	Vented	96470R	5	4.500"	12.72"	1.955"	Vented
96368R	5	112 mm	10.75"	2.49"	Vented	96471R	5	4.500"	12.72"	1.955"	Vented
96369R	4	4.500"	10.225"	1.91"	Solid	96472R	5	4.500"	12.08"	2.645"	Vented
96371R	4	100 mm	9.39"	1.325"	Solid	96473R	5	4.500"	11.65"	2"	Vented
96372R	4	4.250"	10.07"	1.645"	Solid	96477R	5	4.500"	10.78"	2.005"	Vented
96373R	5	130 mm	11.77"	3.94"	Vented	96478R	5	4.500"	11.25"	2.24"	Vented
96374PL	4	4.500"	11.09"	1.860"	Vented	96485R	5	126 mm	11.73"	1.775"	Vented
96374PR	4	4.500"	11.09"	1.860"	Vented	96490R	5	120 mm	11.8"	2.4"	Vented
96374R	4	4.500"	11.09"	1.86"	Vented	96491R	5	4.500"	10.15"	1.83"	Solid
96375R	4	4.500"	10.33"	1.81"	Vented	96497R	5	112 mm	11.1"	2.555"	Vented
96376R	4	100 mm	9.35"	1.815"	Solid	96498PL	5	3.937"	10.58"	2.555"	Solid
96378R	6	5.500"	12.4"	3.315"	Vented	96498PR	5	3.937"	10.58"	2.555"	Solid
96379R	4	4.500"	9.08"	1.855"	Solid	96498R	5	100 mm	10.58"	2.555"	Solid
96381R	4	100 mm	9.29"	1.775"	Solid	96499PL	5	3.937"	10.03"	1.940"	Vented
96382R	4	100 mm	9.21"	1.775"	Solid	96499PR	5	3.937"	10.03"	1.940"	Vented
96384R	4	4.250"	9.73"	1.35"	Solid	96499R	5	100 mm	10.03"	1.94"	Solid
96385R	4	4.250"	10.46"	1.077"	Solid	96500PL	5	3.937"	10.82"	1.940"	Vented
96386R	6	5.500"	12.26"	2.295"	Vented	96500PR	5	3.937"	10.82"	1.940"	Vented
96387PL	5	4.724"	11.2"	2.365"	Vented	96500R	5	100 mm	10.82"	1.94"	Vented
96387PR	5	4.724"	11.2"	2.365"	Vented	96503R	5	4.500"	11.33"	2.555"	Solid
96387R	5	120 mm	11.02"	2.365"	Vented	96507R	5	4.500"	9.9"	1.945"	Solid
96388R	4	4.250"	10.07"	2.02"	Solid	96511R	5	4.500"	10.94"	1.755"	Vented
96390R	5	112 mm	11.8"	2.355"	Vented	96512R	5	4.500"	12.75"	2.655"	Solid
96391R	5	112 mm	10.95"	2.185"	Vented	96513R	5	110 mm	10.24"	2.73"	Vented
96392R	5	112 mm	12.21"	3.225"	Vented	96514R	5	110 mm	11.18"	1.615"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96515R	5	4.250"	11.62"	2.85"	Vented	96687R	6	4.250"	10.86"	1.78"	Vented
96516R	5	4.250"	11"	1.985"	Solid	96690R	6	4.250"	10.86"	1.78"	Vented
96517R	4	4.500"	10.07"	1.785"	Vented	96691R	5	4.500"	12.4"	2.09"	Vented
96518R	4	4.500"	10.16"	1.575"	Vented	96693R	5	4.500"	11.18"	2.587"	Vented
96519R	5	120 mm	11.81"	2.68"	Solid	96696R	5	4.750"	12"	2.67"	Vented
96524R	5	120 mm	12.4"	2.07"	Vented	96697R	5	4.750"	11.72"	2.63"	Vented
96525R	5	120 mm	12.4"	3.07"	Vented	96699R	5	112 mm	11.58"	1.95"	Solid
96526R	5	120 mm	11.8"	2.405"	Vented	96704PL	5	4.500"	10.1"	1.930"	Vented
96544PL	4	3.937"	9.4"	1.875"	Solid	96704PR	5	4.500"	10.1"	1.930"	Vented
96544PR	4	3.937"	9.4"	1.875"	Solid	96704R	5	4.500"	10.1"	1.93"	Vented
96544R	4	100 mm	9.4"	1.875"	Vented	96706PL	5	4.500"	10.225"	1.660"	Solid
96555R	4	100 mm	9.56"	1.677"	Solid	96706PR	5	4.500"	10.225"	1.660"	Solid
96562R	4	4.500"	11.091"	1.339"	Vented	96706R	5	4.500"	10.225"	1.66"	Vented
96566R	5	110 mm	10"	1.615"	Solid	96708PL	4	4.500"	10.225"	1.900"	Vented
96568R	5	4.500"	11.46"	2.55"	Vented	96708PR	4	4.500"	10.225"	1.900"	Vented
96575R	6	5.500"	11.68"	2.77"	Vented	96708R	4	4.500"	10.225"	1.9"	Vented
96580R	5	130 mm	11.1"	2.36"	Vented	96709PL	4	4.500"	10.23"	1.850"	Vented
96581R	5	130 mm	11.1"	2.36"	Vented	96709PR	4	4.500"	10.23"	1.850"	Vented
96585R	5	4.750"	11.6"	2.62"	Vented	96709R	4	4.500"	10.23"	1.85"	Solid
96586R	5	4.750"	11.46"	2.635"	Vented	96710PL	5	4.500"	10.225"	1.900"	Vented
96587R	5	4.750"	10.95"	2.675"	Vented	96710PR	5	4.500"	10.225"	1.900"	Vented
96589PL	4	3.937"	9.72"	1.780"	Vented	96710R	5	4.500"	10.225"	1.9"	Solid
96589PR	4	3.937"	9.72"	1.780"	Vented	96711PL	5	4.500"	11.100"	1.850"	Vented
96589R	4	100 mm	9.72"	1.78"	Solid	96711PR	5	4.500"	11.100"	1.850"	Vented
96590R	4	4.500"	10.22"	2.5"	Vented	96711R	5	4.500"	11.1"	1.85"	Solid
96592R	5	4.500"	10.22"	3.145"	Vented	96714R	5	112 mm	11.18"	1.71"	Vented
96594PL	5	3.937"	10.58"	2.530"	Solid	96719R	5	120 mm	11.26"	2.03"	Solid
96594PR	5	3.937"	10.58"	2.530"	Solid	96720R	6	124 mm	11.81"	1.495"	Vented
96594R	5	100 mm	10.58"	2.53"	Vented	96723PL	5	4.500"	10.08"	1.780"	Vented
96598R	4	100 mm	9.13"	1.78"	Vented	96723PR	5	4.500"	10.08"	1.780"	Vented
96606R	5	4.500"	10.86"	2.28"	Vented	96723R	5	4.500"	10.08"	1.78"	Vented
96611R	4	100 mm	9.25"	1.95"	Vented	96728R	5	120 mm	11.98"	2.475"	Solid
96612R	5	5.500"	12.2"	1.815"	Vented	96732R	5	4.500"	10.224"	1.898"	Solid
96613R	5	4.500"	11.88"	1.825"	Vented	96734R	4	4.500"	11.1"	1.85"	Solid
96615R	6	124 mm	11.13"	1.5"	Vented	96736R	5	4.500"	10.16"	2.245"	Vented
96616R	4	4.500"	10.24"	2.35"	Vented	96737R	5	5.500"	11.2"	2.01"	Solid
96617R	4	4.500"	10.16"	1.59"	Solid	96738R	5	120 mm	12.75"	3.035"	Vented
96620R	4	3.750"	10.38"	1.01"	Solid	96742R	5	4.250"	10.43"	2.79"	Vented
96622R	5	110 mm	11.17"	2.38"	Vented	96751R	6	4.500"	10.24"	1.57"	Vented
96632R	6	5.500"	12.54"	2.78"	Vented	96752R	5	4.500"	11.65"	2.11"	Vented
96649R	5	4.500"	11.25"	2.25"	Vented	96754R	5	4.500"	10.825"	1.94"	Vented
96658R	5	100 mm	10.895"	2.23"	Vented	96758R	5	110 mm	11.26"	2.725"	Vented
96662R	5	4.500"	11.09"	1.28"	Vented	96759R	5	110 mm	11.335"	1.655"	Solid
96664R	5	120 mm	12.75"	3.035"	Vented	96760R	5	4.500"	12.08"	2.505"	Vented
96666R	5	112 mm	10.94"	2.11"	Solid	96762R	5	112 mm	11.42"	2.11"	Vented
96669R	4	4.500"	11.07"	2.81"	Vented	96763R	5	112 mm	11.42"	2.35"	Solid
96678R	5	120 mm	10.7"	3.075"	Vented	96764R	5	112 mm	10.94"	2.19"	Solid
96679R	5	120 mm	11.7"	2.545"	Solid	96765R	5	112 mm	11.34"	1.83"	Solid
96680R	5	5.000"	11.73"	2.76"	Vented	96766R	5	112 mm	11.81"	2.264"	Vented
96681R	5	120 mm	13.14"	3.035"	Vented	96767R	5	112 mm	11.8"	1.83"	Vented
96682PL	5	3.937"	11.320"	1.110"	Vented	96769R	5	120 mm	10.7"	3.27"	Vented
96682PR	5	3.937"	11.320"	1.110"	Vented	96771R	5	112 mm	10.95"	2.245"	Vented
96682R	5	100 mm	11.32"	1.11"	Vented	96772R	5	4.250"	11.142"	2.441"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96773R	5	4.250"	10.906"	2.795"	Solid	96899R	5	120 mm	10.704"	2.697"	Vented
96774R	5	5.000"	11.42"	2.415"	Solid	96900R	5	98 mm	10.59"	3.77"	Vented
96778PL	5	3.937"	11.2"	1.435"	Vented	96901R	6	80 mm	9.843"	.827"	Solid
96778PR	5	3.937"	11.2"	1.435"	Vented	96902R	5	4.250"	11.014"	3.268"	Solid
96778R	5	100 mm	11.02"	1.435"	Vented	96903R	5	5.000"	11.752"	2.756"	Solid
96779PL	5	3.937"	9.13"	1.555"	Solid	96904R	5	4.250"	11.29"	3.45"	Solid
96779PR	5	3.937"	9.13"	1.555"	Solid	96905R	5	98 mm	9.89"	1.988"	Vented
96779R	5	100 mm	9.13"	1.555"	Vented	96906R	5	98 mm	11.063"	1.713"	Solid
96780R	5	120 mm	11.25"	2.027"	Solid	96922R	5	5.500"	12.195"	1.14"	Vented
96781R	5	112 mm	11.12"	1.82"	Vented	96929R	6	5.500"	12.285"	2.68"	Vented
96782R	5	112 mm	11.015"	1.825"	Vented	96931R	6	5.500"	12.55"	2.765"	Vented
96783R	5	112 mm	11.921"	2.018"	Vented	96932R	5	4.500"	11.34"	2.56"	Vented
96784R	5	130 mm	11.772"	2.795"	Vented	96933PL	5	100 mm	10.585"	2.195"	Solid
96788R	5	112 mm	11.22"	2.189"	Vented	96933PR	5	3.937"	10.585"	2.195"	Solid
96790R	5	4.500"	10.775"	1.865"	Vented	96933R	5	100 mm	10.585"	2.195"	Solid
96791R	5	4.500"	11.015"	1.57"	Vented	96934PL	5	3.937"	10.825"	1.935"	Vented
96792R	4	100 mm	10.63"	2.4"	Solid	96934PR	5	100 mm	10.825"	1.935"	Vented
96795R	5	4.500"	11.81"	1.86"	Solid	96934R	5	100 mm	10.825"	1.935"	Solid
96796R	5	150 mm	12.96"	4.04"	Vented	96935PL	5	4.500"	11.09"	1.560"	Vented
96797R	5	144 mm	12.32"	2.745"	Vented	96935PR	5	4.500"	11.09"	1.560"	Vented
96800R	4	100 mm	10.079"	1.551"	Vented	96935R	5	4.500"	11.09"	1.56"	Solid
96802R	5	120 mm	11.732"	2.402"	Vented	96936PL	5	4.500"	11.8"	1.560"	Vented
96805R	5	4.750"	12.008"	1.949"	Solid	96936PR	5	4.500"	11.8"	1.560"	Vented
96806PL	5	3.937"	11.33"	1.350"	Vented	96936R	5	4.500"	11.8"	1.56"	Solid
96806PR	5	3.937"	11.33"	1.350"	Vented	96937R	5	100 mm	11.4"	2.65"	Vented
96806R	5	100 mm	11.33"	1.35"	Vented	96938R	4	100 mm	10.265"	1.575"	Solid
96807R	4	4.500"	10.08"	1.78"	Vented	96939R	5	112 mm	9.64"	1.88"	Solid
96810R	5	112 mm	11.61"	1.95"	Vented	96940R	5	112 mm	13.03"	2.165"	Solid
96811R	5	4.750"	11.59"	2.67"	Vented	96941R	5	112 mm	13.585"	2"	Solid
96812R	5	120 mm	11.02"	2.685"	Solid	96948R	5	4.500"	11.015"	1.935"	Solid
96813R	5	120 mm	11.8"	2.68"	Solid	96949R	5	4.500"	10.07"	1.845"	Vented
96816R	4	4.500"	9.83"	3.563"	Vented	96950R	4	100 mm	10.075"	1.86"	Vented
96817R	4	100 mm	9.24"	1.805"	Vented	96951R	5	4.500"	10.15"	2.545"	Vented
96818R	4	100 mm	10.145"	1.84"	Vented	96952R	4	100 mm	10.15"	2.545"	Solid
96819R	5	4.500"	11.34"	2.36"	Vented	96953R	4	100 mm	10.075"	1.86"	Solid
96820R	5	4.500"	11.65"	1.94"	Solid	96954R	4	100 mm	10.08"	1.61"	Vented
96838R	5	112 mm	12.598"	3.228"	Vented	96958PL	5	4.724"	11.2"	2.365"	Solid
96845R	5	4.500"	11.81"	1.86"	Vented	96958PR	5	4.724"	11.2"	2.365"	Solid
96847R	5	112 mm	12.598"	1.988"	Vented	96958R	5	120 mm	11.02"	2.365"	Vented
96848R	5	112 mm	12.598"	1.988"	Vented	96959R	5	120 mm	12.75"	2.4"	Solid
96849R	5	4.500"	11.11"	2.32"	Vented	96960R	5	120 mm	13.14"	3.03"	Solid
96850R	5	4.500"	11.09"	2.41"	Solid	96963R	5	130 mm	12.52"	2.638"	Vented
96861R	5	130 mm	11.732"	2.638"	Vented	96964R	5	130 mm	12.52"	2.638"	Vented
96862R	5	112 mm	10.865"	2.335"	Vented	96970R	5	120 mm	12.402"	2.992"	Vented
96863R	5	112 mm	9.646"	3.287"	Vented	96971R	4	100 mm	10.35"	1.618"	Vented
96867R	4	96 mm	9.134"	1.437"	Vented	96972R	4	100 mm	10.04"	1.695"	Vented
96872R	4	98 mm	10.748"	1.693"	Solid	96973R	4	100 mm	10.08"	1.775"	Vented
96873R	4	120 mm	10.748"	.965"	Solid	96974R	6	4.250"	12.365"	1.78"	Vented
96874R	4	98 mm	10.748"	1.63"	Vented	96975R	6	5.500"	11.415"	1.82"	Vented
96875R	5	4.250"	10.71"	2.913"	Vented	96976R	5	4.500"	11.654"	1.980"	Vented
96876R	4	3.750"	10.394"	1.008"	Solid	96983R	6	5.500"	11.815"	2.85"	Vented
96891R	5	4.500"	10.866"	1.78"	Vented	96985R	4	100 mm	10.04"	1.93"	Vented
96892R	4	102 mm	10.08"	1.406"	Vented	96986R	4	100 mm	9.25"	1.7"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
96987R	5	112 mm	10.04"	2.115"	Solid	980111R	5	112 mm	11.417"	2.205"	Vented
96988R	5	4.500"	11.11"	2.57"	Solid	980112R	4	4.500"	10.12"	1.825"	Solid
96989R	4	4.500"	10.115"	1.8"	Solid	980113R	5	4.500"	11.496"	2.441"	Vented
9762R	4	94 mm	9.835"	1.355"	Vented	980115R	5	4.500"	11.654"	1.937"	Vented
980002R	5	112 mm	9.64"	2.11"	Solid	980116R	5	4.500"	11.409"	1.939"	Vented
980004R	9	100 mm	12.283"	1.354"	Vented	980126R	5	120 mm	12.598"	2.382"	Vented
980006R	5	4.750"	11.46"	2.635"	Vented	980127R	5	120 mm	11.575"	2.343"	Vented
980007R	5	130 mm	11.102"	2.378"	Vented	980131R	5	100 mm	10.079"	1.433"	Vented
980008R	5	130 mm	11.732"	2.913"	Vented	980132R	5	100 mm	9.409"	1.314"	Vented
980009R	5	120 mm	11.811"	2.992"	Vented	980138R	5	4.500"	10.225"	1.915"	Vented
980011R	5	120 mm	11.81"	2.027"	Vented	980141R	5	100 mm	11.545"	2.23"	Vented
980017R	5	120 mm	13.06"	2.44"	Vented	980151R	5	4.500"	11.11"	2.32"	Solid
980018R	5	120 mm	12.75"	3.154"	Vented	980155R	5	4.500"	12.126"	2.441"	Solid
980022R	5	112 mm	11.024"	2.185"	Vented	980157R	5	130 mm	10.855"	3.03"	Vented
980028R	5	112 mm	12.638"	1.831"	Vented	980158R	5	130 mm	10.855"	3.03"	Vented
980030R	4	100 mm	9.685"	1.969"	Vented	980159R	5	4.500"	11.65"	1.935"	Vented
980032R	5	4.500"	12.33"	2.195"	Vented	980160R	6	5.500"	13.3"	2.64"	Vented
980033R	5	4.500"	10.825"	1.935"	Solid	980161R	6	5.500"	12.55"	2.65"	Vented
980039R	5	112 mm	11.811"	2.303"	Vented	980163R	4	100 mm	9.495"	2.04"	Vented
980040R	5	112 mm	12.441"	1.831"	Vented	980164R	5	130 mm	10.69"	3.8"	Vented
980041R	5	112 mm	12.992"	2.992"	Vented	980172R	5	4.500"	11.015"	1.57"	Solid
980045R	5	4.250"	11.339"	2.551"	Solid	980176R	5	120 mm	12.28"	2.405"	Vented
980046R	5	4.250"	11.24"	1.98"	Solid	980177R	5	120 mm	12.28"	2.405"	Vented
980050R	5	4.250"	12.008"	1.98"	Vented	980186R	5	4.500"	11.415"	1.815"	Vented
980052R	12	136 mm	11.1"	2.46"	Vented	980187R	5	4.500"	11.89"	2.315"	Vented
980054R	4	4.500"	10.315"	2.402"	Vented	980193PL	5	4.500"	12.6"	1.710"	Vented
980058R	5	110 mm	11.26"	2.717"	Vented	980193PR	5	4.500"	12.6"	1.710"	Vented
980059R	5	4.500"	10.303"	1.854"	Solid	980194PL	5	4.500"	11.81"	2.285"	Vented
980069R	5	4.500"	11.09"	2.41"	Vented	980194PR	5	4.500"	11.81"	2.285"	Vented
980070R	5	4.500"	11.475"	2.445"	Solid	980197R	6	5.500"	12.6"	1.69"	Vented
980071R	5	4.500"	11.1"	2.32"	Solid	980198R	6	5.500"	12.58"	2.28"	Vented
980072R	5	4.500"	11.09"	1.86"	Solid	980201R	4	100 mm	10.04"	1.695"	Solid
980074R	5	4.500"	11.65"	1.935"	Vented	980202R	4	4.500"	10.87"	1.79"	Vented
980075R	4	4.500"	10.11"	1.93"	Vented	980208R	5	4.500"	10.315"	2.365"	Vented
980076R	5	4.500"	10.591"	2.551"	Vented	980209R	5	4.500"	11.58"	1.79"	Solid
980077R	5	4.500"	11.65"	1.93"	Solid	980210R	5	4.500"	11.93"	2.47"	Vented
980078R	4	100 mm	10.15"	1.91"	Vented	980211R	5	4.500"	11.34"	2.735"	Solid
980079R	4	4.500"	10.11"	1.86"	Vented	980220R	5	4.500"	11.81"	1.85"	Vented
980080R	5	4.500"	10.865"	1.905"	Vented	980225R	5	4.500"	12.6"	1.935"	Vented
980081R	6	5.500"	11.41"	2.25"	Vented	980231R	5	112 mm	11.33"	1.815"	Vented
980084R	4	4.500"	11.063"	1.791"	Vented	980234R	5	4.250"	11.811"	1.85"	Vented
980085R	4	4.500"	10.236"	1.614"	Vented	980239R	5	126 mm	11.963"	2.238"	Vented
980086R	5	4.500"	10.157"	1.783"	Solid	980240R	5	126 mm	11.963"	2.238"	Vented
980087R	5	4.500"	11.181"	2.402"	Solid	980241R	4	100 mm	9.99"	1.995"	Vented
980088R	5	4.500"	12.33"	2.64"	Solid	980242R	4	4.250"	10.866"	2.028"	Vented
980089R	5	4.500"	11.025"	1.865"	Solid	980245R	5	4.500"	10.225"	1.91"	Solid
980090R	5	4.500"	10.865"	1.855"	Vented	980261R	5	112 mm	11.024"	1.594"	Solid
980091R	5	4.500"	11.58"	1.82"	Vented	980262R	5	112 mm	11.575"	1.614"	Solid
980092R	5	4.500"	10.85"	1.815"	Vented	980267R	5	112 mm	12.323"	2.213"	Vented
980095R	5	4.500"	10.315"	2.402"	Vented	980273R	5	120 mm	11.713"	3.602"	Vented
980098R	4	100 mm	9.495"	2.04"	Vented	980277R	5	4.500"	11.93"	1.850"	Vented
980101R	5	112 mm	11.338"	1.831"	Vented	980283R	5	4.500"	11.81"	1.905"	Vented
980103R	10	112 mm	10.039"	1.567"	Vented	980285R	5	4.500"	10.43"	1.605"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
980287R	5	4.500"	11.02"	1.605"	Solid	980583R	5	150 mm	13.937"	3.278"	Vented
980288R	5	4.500"	11.13"	1.905"	Solid	980595R	5	4.500"		1.929"	Vented
980290R	5	120 mm	11.65"	1.855"	Vented	980599R	5	4.500"	10.82"	2.402"	Solid
980295R	5	4.500"	10.94"	1.905"	Vented	9809R	4	4.500"	10.15"	1.855"	Vented
9802R	4	100 mm	10.04"	2.955"	Solid	9810R	4	100 mm	9.37"	1.615"	Solid
980304R	5	4.500"	12.2"	1.770"	Vented	9811R	4	4.250"	10.11"	3.3"	Solid
980307R	5	4.500"	12.58"	1.935"	Vented	9812R	5	120 mm	11.09"	3.005"	Vented
980308R	4	4.500"	10.94"	1.755"	Vented	9813R	5	120 mm	11.17"	2.988"	Vented
980312R	5	100 mm	10.04"	1.93"	Vented	9820R	6	5.500"	11.88"	1.89"	Vented
980316R	4	100 mm	10.225"	1.91"	Solid	9821R	5	126 mm	11.12"	1.39"	Vented
980317R	5	4.500"	11.81"	1.85"	Vented	9826R	4	4.500"	10.6"	2.59"	Solid
980321R	5	4.500"	11.18"	2.755"	Vented	9827R	4	110 mm	8.94"	3.98"	Vented
980322R	5	4.500"	10.865"	1.97"	Vented	9828R	4	110 mm	9.29"	2.835"	Vented
980323R	4	4.500"	11.025"	1.865"	Vented	9829R	4	100 mm	10.24"	1.385"	Solid
980325R	5	5.500"	11.81"	2.13"	Vented	9830R	4	100 mm	9.37"	1.62"	Vented
980338R	4	4.500"	10.07"	1.855"	Vented	9832R	4	90 mm	9.05"	2.045"	Vented
980340R	4	4.500"	10.865"	2.29"	Solid	9833R	4	4.250"	10.06"	1.82"	Vented
980341R	5	4.500"	12.56"	1.93"	Vented	9834R	4	96 mm	9.445"	1.375"	Vented
980353R	5	120 mm	12.59"	1.855"	Vented	9836R	4	4.500"	11.02"	2.58"	Solid
980354R	5	100 mm	10.778"	2.655"	Solid	9837R	4	100 mm	9.567"	1.54"	Solid
980368R	6	4.500"	11.247"	2.435"	Vented	9838R	6	5.500"	11.88"	1.885"	Solid
980369R	6	4.500"	11.13"	1.501"	Vented	9839R	5	120 mm	10.7"	2.41"	Vented
980370R	6	4.500"	11.647"	1.502"	Vented	9840R	4	100 mm	10.03"	2.95"	Solid
980378R	5	4.500"	12.589"	2.654"	Vented	9841R	5	120 mm	11.02"	3.07"	Solid
980384R	4	4.500"	10.156"	1.63"	Solid	9842R	4	103 mm	10.785"	1.4"	Vented
980385R	4	4.500"	10.825	1.866"	Vented	9843R	5	4.500"	11.415"	1.85"	Solid
980388R	5	4.500"	11.06"	1.937"	Vented	9844R	5	112 mm	11.02"	1.825"	Vented
9803R	4	4.500"	11.02"	1.87"	Solid	9845R	5	120 mm	11.171"	2.677"	Vented
980418R	4	100 mm	10.311"	2.518"	Solid	9846R	5	120 mm	11.02"	3.07"	Solid
980419R	5	4.500"	11.027"	1.865"	Vented	9847R	5	120 mm	11.01"	3.06"	Vented
980424R	6	5.500"	12.597"	1.695"	Vented	9848R	5	112 mm	9.645"	2.34"	Solid
980452R	4	100 mm	10.078	1.836"	Vented	9887R	5	100 mm	10.14"	1.88"	Vented
980454R	5	4.500"	11.181"	2.37"	Vented	9888R	4	100 mm	9.565"	1.865"	Vented
980461R	5	4.500"	10.825"	2.311"	Vented	9890PL	4	3.937"	9.1"	1.735"	Vented
980463R	6	5.500"	11.89"	2.740"	Solid	9890PR	4	3.937"	9.1"	1.735"	Vented
980467R	5	4.500"	11.061	2.621"	Solid	9890R	4	100 mm	9.1"	1.735"	Solid
980472R	5	4.500"	11.88"	1.608"	Solid	9891R	4	100 mm	9.075"	1.74"	Solid
980473R	5	4.500"	12.354"	1.606"	Solid	9893R	4	100 mm	10.23"	1.39"	Vented
980475R	5	4.500"	11.406"	1.772"	Vented	9894R	4	4.250"	10.16"	1.705"	Vented
980476R	4	100 mm	10.039	1.811"	Vented	9895R	4	4.250"	11.02"	1.72"	Solid
980477R	5	4.500"		1.819"	Vented	9897R	5	100 mm	10.6"	2.53"	Solid
980483R	5	4.500"	11.063"	2.157"	Solid	9898R	4	100 mm	10.15"	2.36"	Solid
980498R	5	4.500"	10.315"	2.398"	Solid	9900R	4	100 mm	9.41"	1.525"	Solid
9804R	5	4.250"	10.35"	2.565"	Solid	9904R	5	118 mm	10.315"	1.765"	Vented
980504R	5	4.500"	10.827"	1.868"	Vented	9907R	4	4.500"	11.01"	2.77"	Vented
980509R	5	4.500"	11.594	1.929"	Vented	9908R	4	100 mm	9.44"	1.78"	Vented
980515R	5	4.500"		1.858"	Vented	9909PL	6	4.882"	10.895"	1.545"	Vented
980523R	5	4.500"	11.883"	2.236"	Vented	9909PR	6	4.882"	10.895"	1.545"	Vented
980524R	5	4.500"	11.64"	1.904"	Vented	9909R	6	124 mm	10.895"	1.545"	Vented
980561R	4	4.500"	11.017"	1.73"	Vented	9911R	4	4.500"	10.6"	2.39"	Vented
980577R	5	4.500"	11.091"	1.917"	Solid	9914R	4	4.500"	9.835"	1.945"	Vented
980579R	5	4.500"	12.787"	2.228"	Vented	9915R	4	100 mm	9.44"	1.78"	Vented
980580R	5	150 mm	12.587"	1.9"	Vented	9916R	4	100 mm	8.465"	1.76"	Solid

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
9917R	6	124 mm	10.5"	1.54"	Solid	ST56825R	6	5.500"	12"	2.285"	Vented
9920R	6	103 mm	9.835"	1.46"	Vented	ST56827L	6	5.500"	12.795"	3.350"	Vented
9922R	4	88 mm	9.42"	1.85"	Vented	ST56827R	6	5.500"	12.795"	3.350"	Vented
9933PL	4	100 mm	10.08"	1.525"	Vented	ST56828L	8	6.500"	13"	3.650"	Vented
9933PR	4	100 mm	10.08"	1.525"	Vented	ST56828R	8	6.500"	13"	3.650"	Vented
9933R	4	100 mm	10.08"	1.525"	Vented	ST56829L	8	6.500"	12.795"	3.510"	Vented
9934PL	4	3.937"	8.9"	2.820"	Vented	ST56829R	8	6.500"	12.795"	3.510"	Vented
9934PR	4	3.937"	8.9"	2.820"	Vented	ST56830L	8	6.500"	13"	3.420"	Vented
9934R	4	100 mm	8.9"	2.82"	Solid	ST56830R	8	6.500"	13"	3.420"	Vented
9936R	4	4.250"	10.07"	1.825"	Solid	ST56919L	6	5.500"	13"	3.760"	Vented
9937R	5	112 mm	10.94"	2.69"	Solid	ST56919R	6	5.500"	13"	3.760"	Vented
9938R	4	92 mm	10.075"	2.35"	Vented	ST6004L	5	4.500"	11.29"	4.215"	Vented
9939R	4	80 mm	9.45"	2.3"	Solid	ST6004R	5	4.500"	11.29"	4.215"	Vented
9940R	5	104 mm	10.94"	2.51"	Solid	ST6006L	5	4.500"	11.29"	4.231"	Vented
9941R	5	112 mm	10.98"	2.815"	Solid	ST6006R	5	4.500"	11.29"	4.231"	Vented
9948R	4	100 mm	10.08"	1.38"	Vented	ST6016L	5	4.500"	11.29"	4.231"	Vented
9950R	5	112 mm	10.94"	4.67"	Vented	ST6016R	5	4.500"	11.29"	4.231"	Vented
9951R	5	100 mm	9.565"	1.79"	Solid	ST66205L	10	5.709"	12.9"	4.875"	Vented
9954R	4	4.500"	11.215"	2.92"	Vented	ST66205R	10	5.709"	12.9"	4.875"	Vented
9955R	4	100 mm	9.528"	1.95"	Solid	ST66238L	5	4.500"	11.415"	2.310"	Vented
9965R	5	5.500"	11.415"	1.81"	Vented	ST66238R	5	4.500"	11.415"	2.310"	Vented
9968R	4	104 mm	9.515"	1.59"	Solid	ST66276L	5	4.500"	11.08"	3.250"	Vented
9969R	4	100 mm	9.075"	1.685"	Vented	ST66276R	5	4.500"	11.08"	3.250"	Vented
9970R	4	94 mm	8.625"	1.455"	Vented	ST66438L	5	5.500"	11.72"	2.540"	Vented
9971R	4	104 mm	9.515"	1.335"	Solid	ST66438R	5	5.500"	11.72"	2.540"	Vented
9981R	5	112 mm	10.15"	3.75"	Vented	ST66476L	8	6.500"	12.95"	3.100"	Vented
9982R	5	4.250"	10.35"	2.655"	Solid	ST66476R	8	6.500"	12.95"	3.100"	Vented
9983R	5	4.250"	11.04"	2.89"	Vented	ST66492L	5	4.500"	11.41"	2.600"	Solid
9985R	4	90 mm	9.515"	1.725"	Vented	ST66492R	5	4.500"	11.41"	2.600"	Solid
9986R	5	4.250"	10.33"	2.83"	Vented	ST66527L	8	6.500"	13.030"	5.645"	Vented
9991R	6	103 mm	9.835"	1.185"	Vented	ST66527R	8	6.500"	13.030"	5.645"	Vented
9999R	4	4.500"	10.43"	1.94"	Vented	ST66528L	8	6.500"	13.030"	5.645"	Vented
ST5006L	5	5.000"	11.86"	4.950"	Vented	ST66528R	8	6.500"	13.030"	5.645"	Vented
ST5006R	5	5.000"	11.86"	4.950"	Vented	ST66529L	8	6.500"	13.030"	7.900"	Vented
ST5501L	5	4.750"	11.75"	3.090"	Vented	ST66529R	8	6.500"	13.030"	7.900"	Vented
ST5501R	5	4.750"	11.75"	3.090"	Vented	ST66530L	8	6.500"	13.030"	7.900"	Vented
ST56128L	5	5.000"	11.86"	4.650"	Vented	ST66530R	8	6.500"	13.030"	7.900"	Vented
ST56128R	5	5.000"	11.86"	4.650"	Vented	ST66576L	5	4.500"	11.26"	2.590"	Vented
ST56242L	8	6.500"	12.5"	2.755"	Vented	ST66576R	5	4.500"	11.26"	2.590"	Vented
ST56242R	8	6.500"	12.5"	2.755"	Vented	ST66595L	5	4.500"	11.215"	2.295"	Solid
ST56263L	8	6.500"	12.5"	4.955"	Vented	ST66595R	5	4.500"	11.215"	2.295"	Solid
ST56263R	8	6.500"	12.5"	4.955"	Vented	ST66647L	5	5.315"	12.12"	1.855"	Vented
ST56324L	8	6.500"	12.5"	2.755"	Vented	ST66647R	5	5.315"	12.12"	1.855"	Vented
ST56324R	8	6.500"	12.5"	2.755"	Vented	ST66648L	7	5.906"	12.12"	1.855"	Vented
ST56450L	5	5.000"	11.61"	2.335"	Vented	ST66648R	7	5.906"	12.12"	1.855"	Vented
ST56450R	5	5.000"	11.61"	2.335"	Vented	ST66653L	5	5.314"	12.13"	4.050"	Vented
ST56579L	6	5.500"	11.61"	4.510"	Vented	ST66653R	5	5.314"	12.13"	4.050"	Vented
ST56579R	6	5.500"	11.61"	4.510"	Vented	ST66695L	8	5.709"	12.9"	4.875"	Vented
ST56629L	5	4.645"	10.94"	1.980"	Solid	ST66695R	8	5.709"	12.9"	4.875"	Vented
ST56629R	5	4.645"	10.94"	1.980"	Solid	ST66744L	5	4.500"	12.44"	2.590"	Vented
ST56641L	5	4.645"	11.92"	2.040"	Vented	ST66744R	5	4.500"	12.44"	2.590"	Vented
ST56641R	5	4.645"	11.92"	2.040"	Vented	ST66746L	8	6.693"	13.030"	3.720"	Vented
ST56825L	6	5.500"	12"	2.285"	Vented	ST66746R	8	6.693"	13.030"	3.720"	Vented

## BRAKE ROTORS LISTING

Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented	Part No.	Bolt Holes	Bolt Circle Dia.	Overall Dia.	Overall Height	Solid/Vented
ST66768L	8	6.693"	13.030"	9.126"	Vented	ST76627R	5	4.500"	10.32"	2.370"	Solid
ST66768R	8	6.693"	13.030"	9.126"	Vented	ST76645L	6	4.500"	11.3"	2.520"	Vented
ST66822L	5	5.314"	12.13"	4.097"	Vented	ST76645R	6	4.500"	11.3"	2.520"	Vented
ST66822R	5	5.314"	12.13"	4.097"	Vented	ST76722L	5	4.500"	11.7"	2.120"	Vented
ST66913L	4	4.250"	10.15"	1.705"	Vented	ST76722R	5	4.500"	11.7"	2.120"	Vented
ST66913R	4	4.250"	10.15"	1.705"	Vented	ST76777L	5	4.500"	11.7"	2.120"	Vented
ST66914L	8	6.693"	13.030"	3.910"	Vented	ST76777R	5	4.500"	11.7"	2.120"	Vented
ST66914R	8	6.693"	13.030"	3.910"	Vented	ST76793L	5	5.000"	12"	2.500"	Solid
ST66984L	5	5.314"	12.13"	4.050"	Vented	ST76793R	5	5.000"	12"	2.500"	Solid
ST66984R	5	5.314"	12.13"	4.050"	Vented	ST76794L	5	5.000"	12"	2.960"	Vented
ST680035L	4	4.250"	9.95"	1.300"	Solid	ST76794R	5	5.000"	12"	2.960"	Vented
ST680035R	4	4.250"	9.95"	1.300"	Solid	ST76920L	8	6.500"	12.85"	4.010"	Vented
ST680105L	6	5.315"	12.99"	1.885"	Vented	ST76920R	8	6.500"	12.85"	4.010"	Vented
ST680105R	6		12.99"	1.885"	Vented	ST780073L	5	5.500"	13.23"	2.655"	Vented
ST680106L	6		13.465"	2.025"	Vented	ST780073R	5	5.500"	13.23"	2.655"	Vented
ST680106R	6	5.315"	13.465"	2.025"	Vented	ST780082L	5	5.500"	13.89"	2.835"	Vented
ST680110L	5	4.500"	12.015"	1.770"	Vented	ST780082R	5	5.500"	13.89"	2.835"	Vented
ST680110R	5	4.500"	12.015"	1.770"	Vented	ST9177L	5	4.500"	11.08"	1.850"	Vented
ST680129L	5	4.500"	11.615"	2.290"	Vented	ST9177R	5	4.500"	11.08"	1.850"	Vented
ST680129R	5	4.500"	11.615"	2.290"	Vented	ST96080L	5	4.500"	10.43"	1.940"	Vented
ST680178L	6	5.315"	12.99"	3.625"	Vented	ST96080R	5	4.500"	10.43"	1.940"	Vented
ST680178R	6	5.315"	12.99"	3.625"	Vented	ST96153L	5	4.500"	10.865"	1.785"	Vented
ST680179L	7	5.906"	12.99"	3.625"	Vented	ST96153R	5	4.500"	10.865"	1.785"	Vented
ST680179R	7	5.906"	12.99"	3.625"	Vented	ST96154L	4	100 mm	9.2"	1.560"	Vented
ST680180L	6	5.315"	12.99"	1.885"	Vented	ST96154R	4	100 mm	9.2"	1.560"	Vented
ST680180R	6	5.315"	12.99"	1.885"	Vented	ST96162L	5	4.500"	10.08"	1.790"	Vented
ST680181L	7	5.906"	12.99"	1.885"	Vented	ST96162R	5	4.500"	10.08"	1.790"	Vented
ST680181R	7	5.906"	12.99"	1.885"	Vented	ST96363L	4	4.500"	11.015"	1.935"	Vented
ST680182L	6	5.315"	13.7"	3.390"	Vented	ST96363R	4	4.500"	11.015"	1.935"	Vented
ST680182R	6	5.315"	13.7"	3.390"	Vented	ST96408L	4	4.500"	10.16"	1.755"	Vented
ST680183L	7	5.906"	13.7"	3.390"	Vented	ST96408R	4	4.500"	10.16"	1.755"	Vented
ST680183R	7	5.906"	13.7"	3.390"	Vented	ST96544L	4	3.937"	9.4"	1.875"	Solid
ST7022L	8	6.500"	12.82"	2.966"	Vented	ST96544R	4	3.937"	9.4"	1.875"	Solid
ST7022R	8	6.500"	12.82"	2.966"	Vented	ST96589L	4	3.937"	9.72"	1.780"	Vented
ST76398L	5	5.500"	11.75"	4.985"	Vented	ST96589R	4	3.937"	9.72"	1.780"	Vented
ST76398R	5	5.500"	11.75"	4.985"	Vented	ST96723L	5	4.500"	10.08"	1.780"	Vented
ST76399L	8	6.500"	12.82"	5.745"	Vented	ST96723R	5	4.500"	10.08"	1.780"	Vented
ST76399R	8	6.500"	12.82"	5.745"	Vented	ST9890L	4	3.937"	9.1"	1.735"	Vented
ST76452L	8	6.500"	12.5"	5.190"	Vented	ST9890R	4	3.937"	9.1"	1.735"	Vented
ST76452R	8	6.500"	12.5"	5.190"	Vented						
ST76627L	5	4.500"	10.32"	2.370"	Solid						